

Subject Index, Volume 8, 1994

- Abies alba* (Fir), 953
Abies lasiocarpa (Subalpine fir), 979
Acacia auriculiformis, 709
Accipiter gentilis (Northern Goshawk), 636
Acer pseudoplatanus, 402, 953
Acer rubrum (red maple), 824, 1112
Acer saccharinum (sugar maple), 754, 828, 953, 1072
Acinonyx jubatus (Cheetah), 116, 158, 961–968, 1153–1154
Acipenser medirostris (green sturgeon), 869
Acipenser nudiiventris, 420
Acipenser stellatus (sturgeon), 420
Acipenser sturio (Atlantic sturgeon), 955
Acipenser transmontanus (white sturgeon), 869
Actitis macularia (Spotted Sandpiper), 860
Adaptive management, 31
Adaptive radiation, 656
Adriana lomentosa, 446
Advocates, 598
Aegithalos caudatus (Long-tailed Tit), 540
Aepyceros melampus (Impala), predation, natural vs. human, 158–164
Africa, Lake Tanganyika, 330–332
African elephants (*Loxodonta africana*), 163
African wildcat (*Felis lybica*), 966
African wild dog (*Lycaon pictus*), 158–159
Agalychnis callidryas (Red-eyed leaf frog), 81
Agelaius phoeniceus (Red-winged Blackbird), 150, 151, 282, 860
Agriculture
 land use in Illinois, birds and, 147–155
 trade barriers, 991–992
 vs. subdivisions, 905–907
Agropyron cristatum (wheatgrass), 636
Agropyron repens, 695
Ailanthus altissima, 826
Ailuropoda melanoleuca (giant panda), 604
Alabama flattened musk turtle (*Sternotherus depressus*), 983
Alces alces (moose), 159, 455, 657
Alder (*Alnus*), 455, 634, 953, 974, 1010, 1088
Alliaria officinalis, 828
Allium vineale, 826
Allometric scaling, of minimal viable population density, 732–743
Allopolyploid species, Endangered Species Act and, 895–896
Allozymic population diversity, 581–584
Alnus (alder), 455, 634, 953, 974, 1010, 1088
Alosa sapidissima (American shad), 869
Alouatta fusca (Howler monkeys), 940
Alouatta palliata (Howler monkey), 781, 786, 788
Alouatta pigra (black howler monkeys), 338
Alouatta seniculus (Red howler monkey), 1028
Alpacas (*Lama pacos*), 655
Amazona mercenaria, 142, 144
Amazona ventralis (Hispaniolan Parrots), 119
Amazona vittata (Puerto Rican Parrot), 114–123
Amazonia
 ethnobotanical forest type utility analysis for, 235–248
 indigenous reserves and nature conservation in, 586–588
 land use change, faunal biodiversity and, 1027–1034
Ambystoma maculatum (Spotted Salamander), 61
Ambystoma opacum (Marbled Salamander), 61
Ambystoma talpoideum (Mole salamander), 61, 65, 67
Ambystoma tigrinum (Tiger Salamander), 61
American beaver (*Castor canadensis*), 715
American beech (*Fagus grandifolia*), 824, 825, 828
American cougar (*Felis concolor*), 967
American holly (*Ilex opaca*), 1112
American kestrel (*Falco sparverius*), 117
American marten (*Martes americana*), 368, 1058–1067
American Robin (*Turdus migratorius*), 672
American shad (*Alosa sapidissima*), 869
American toad (*Bufo americanus*), 75
Amphibians. See also specific amphibians
 extinctions, assessment of, 65
 long-term population studies, 63–65, 67–68
 nonequilibrium dynamics and metapopulations, 65–66
 population declines, 60–63
 climate disturbances and, 72–82
 population monitoring, 62–63, 65
 recolonization constraints after local extinction, 65–67
Anairetes, 514
Analytic Hierarchy Process (AHP)
 in forest management of Oijusluoma forest, Finland, 454–459
 as multi-objective planning approach, 450, 452–454
Anas acuta (Northern Pintail), 954
Anas clypeata (Northern Shoveler), 954
Anacanthus thurberi, 463
Andigena nigrrostris, 144
Andropogon gerardii, 695, 698, 699
Angiopteris longifolia (Giant kingfern), 1080
Anolis carolinensis, 1051
Anthus pratensis (pipit), 537
Antilocapra americana (pronghorn antelope), 636, 656, 678, 686
Apbelocoma coerulescens (Scrub Jay), 286
Apbrastura, 512–515
Apbrastura spinicauda, 512
Aplacae (Carrot), 271
Aquila chrysaetos (Golden Eagle), 727
Arabisopsis thaliana, 43
Aralia spinosa, 825
Aranis secunda, 42
Aratinga wagleri, 144
Arbutus peninsularis, 1136
Aristida, 696–697
Aristida stricta (wiregrass), 581–584, 1049
Aronia, 1088
Arrowweed (*Pluchea sericea*), 1104
Arsenic poisoning, 382–383
Ascapus truel (Tailed frog), 66
Ashe juniper (*Juniperus ashei*), 287
Asiatic lion (*Panthera leo persica*), 501, 502
Asilidae (robber flies), 688
Asio flammeus (Short-eared Owl), 954
Aspen (*Populus tremula*), 455
Asters (*Aster*), 578, 693
Atelopus varius (Harlequin frog), 72–82
Atlantic salmon (*Salmo salar*), 881
Atlantic sturgeon (*Acipenser sturio*), 955
Atriplex, 463, 464
Attila spadiceus, 548
Aulacorbynchus baematopygus, 144
Aulacorbynchus prasinus, 144
Aurochs (*Bos primigenius*), 954
Austrocedrus, 514
Ausubo (*Manilkara bidentata*), 1124
Avian nests, edge effects of, 17–25
Avicennia marina, 442
Axis axis (chital), 503
Aythya valisineria (Canvasbacks), 118
Baccharis glutinosa (Sweepwillow), 1100
Bamboo (*Chusquea*), 509
Banana planting, in Costa Rica, 592–593
Bandicoots (*Perameles gunnii*), 269

Subject Index, Volume 8, 1994

- Abies alba* (Fir), 953
Abies lasiocarpa (Subalpine fir), 979
Acacia auriculiformis, 709
Accipiter gentilis (Northern Goshawk), 636
Acer pseudoplatanus, 402, 953
Acer rubrum (red maple), 824, 1112
Acer saccharinum (sugar maple), 754, 828, 953, 1072
Acinonyx jubatus (Cheetah), 116, 158, 961–968, 1153–1154
Acipenser medirostris (green sturgeon), 869
Acipenser nudiiventris, 420
Acipenser stellatus (sturgeon), 420
Acipenser sturio (Atlantic sturgeon), 955
Acipenser transmontanus (white sturgeon), 869
Actitis macularia (Spotted Sandpiper), 860
Adaptive management, 31
Adaptive radiation, 656
Adriana lomentosa, 446
Advocates, 598
Aegithalos caudatus (Long-tailed Tit), 540
Aepyceros melampus (Impala), predation, natural vs. human, 158–164
Africa, Lake Tanganyika, 330–332
African elephants (*Loxodonta africana*), 163
African wildcat (*Felis lybica*), 966
African wild dog (*Lycaon pictus*), 158–159
Agalychnis callidryas (Red-eyed leaf frog), 81
Agelaius phoeniceus (Red-winged Blackbird), 150, 151, 282, 860
Agriculture
 land use in Illinois, birds and, 147–155
 trade barriers, 991–992
 vs. subdivisions, 905–907
Agropyron cristatum (wheatgrass), 636
Agropyron repens, 695
Ailanthus altissima, 826
Ailuropoda melanoleuca (giant panda), 604
Alabama flattened musk turtle (*Sternotherus depressus*), 983
Alces alces (moose), 159, 455, 657
Alder (*Alnus*), 455, 634, 953, 974, 1010, 1088
Alliaria officinalis, 828
Allium vineale, 826
Allometric scaling, of minimal viable population density, 732–743
Allopolyploid species, Endangered Species Act and, 895–896
Allozymic population diversity, 581–584
Alnus (alder), 455, 634, 953, 974, 1010, 1088
Alosa sapidissima (American shad), 869
Alouatta fusca (Howler monkeys), 940
Alouatta palliata (Howler monkey), 781, 786, 788
Alouatta pigra (black howler monkeys), 338
Alouatta seniculus (Red howler monkey), 1028
Alpacas (*Lama pacos*), 655
Amazona mercenaria, 142, 144
Amazona ventralis (Hispaniolan Parrots), 119
Amazona vittata (Puerto Rican Parrot), 114–123
Amazonia
 ethnobotanical forest type utility analysis for, 235–248
 indigenous reserves and nature conservation in, 586–588
 land use change, faunal biodiversity and, 1027–1034
Ambystoma maculatum (Spotted Salamander), 61
Ambystoma opacum (Marbled Salamander), 61
Ambystoma talpoideum (Mole salamander), 61, 65, 67
Ambystoma tigrinum (Tiger Salamander), 61
American beaver (*Castor canadensis*), 715
American beech (*Fagus grandifolia*), 824, 825, 828
American cougar (*Felis concolor*), 967
American holly (*Ilex opaca*), 1112
American kestrel (*Falco sparverius*), 117
American marten (*Martes americana*), 368, 1058–1067
American Robin (*Turdus migratorius*), 672
American shad (*Alosa sapidissima*), 869
American toad (*Bufo americanus*), 75
Amphibians. See also specific amphibians
 extinctions, assessment of, 65
 long-term population studies, 63–65, 67–68
 nonequilibrium dynamics and metapopulations, 65–66
 population declines, 60–63
 climate disturbances and, 72–82
 population monitoring, 62–63, 65
 recolonization constraints after local extinction, 65–67
Anairetes, 514
Analytic Hierarchy Process (AHP)
 in forest management of Oijusluoma forest, Finland, 454–459
 as multi-objective planning approach, 450, 452–454
Anas acuta (Northern Pintail), 954
Anas clypeata (Northern Shoveler), 954
Aniarchus thurberi, 463
Andigena nigrivestris, 144
Andropogon gerardii, 695, 698, 699
Angiopteris longifolia (Giant fern), 1080
Anolis carolinensis, 1051
Anthus pratensis (pipit), 537
Antilocapra americana (pronghorn antelope), 636, 656, 678, 686
Apbelocoma coerulescens (Scrub Jay), 286
Apibrastura, 512–515
Apibrastura spinicauda, 512
Aplidae (Carrot), 271
Aquila chrysaetos (Golden Eagle), 727
Arabis thaliana, 43
Aralia spinosa, 825
Aranis secunda, 42
Aratinga wagleri, 144
Arbutus peninsularis, 1136
Aristida, 696–697
Aristida stricta (wiregrass), 581–584, 1049
Aronia, 1088
Arrowweed (*Pluchea sericea*), 1104
Arsenic poisoning, 382–383
Ascapus truel (Tailed frog), 66
Ashe juniper (*Juniperus ashei*), 287
Asiatic lion (*Panthera leo persica*), 501, 502
Asilidae (robber flies), 688
Asio flammeus (Short-eared Owl), 954
Aspen (*Populus tremula*), 455
Asters (*Aster*), 578, 693
Atelopus varius (Harlequin frog), 72–82
Atlantic salmon (*Salmo salar*), 881
Atlantic sturgeon (*Acipenser sturio*), 955
Atriplex, 463, 464
Attila spadiceus, 548
Aulacorbynchus baematopygus, 144
Aulacorbynchus prasinus, 144
Aurochs (*Bos primigenius*), 954
Austrocedrus, 514
Ausubo (*Manilkara bidentata*), 1124
Avian nests, edge effects of, 17–25
Avicennia marina, 442
Axis axis (chital), 503
Aythya valisineria (Canvasbacks), 118
Baccharis glutinosa (Sweepwillow), 1100
Bamboo (*Chusquea*), 509
Banana planting, in Costa Rica, 592–593
Bandicoots (*Perameles gunnii*), 269

- Bare-tailed woolly opossum (*Caluromys philander*), 1029
 Barra del Colorado Wildlife Refuge, Costa Rica, 594
 Barred Owl (*Strix varia*), 284
 Basin management, for Mexico, 384
 Bat, 462, 957
 Bay checkerspot butterfly (*Euphydryas editha bayensis*), 129–130
 Beach tiger beetle (*Cicindela dorsalis dorsalis*), 358–361
 Beaver (*Castor fiber*), 957
 Beech marten (*Martes foina*), 957
 Behavioral diversity, as biodiversity, 569–572
 Belize, river turtle conservation in, 338–339
Berberis thunbergii, 828
Bettongia gaimardi (eastern bettong), 446
Bettongia lesueur (burrowing bettongs), 439, 440
Betula, 1088
Betula alleghaniensis (yellow birch), 754
 Betulaceae (*Alnus*), 974
Betula nana, 952
Betula pendula (birch), 454
Betula pubescens (birch), 454
Betula verrucosa, 953
 Bewick's Wren (*Thryomanes bewickii*), 1103
 Bighorn sheep (*Ovis canadensis*), 159, 656, 658–659
 Biodiversity, 598, 909–910
 artificial diversity and, 600–602
 behavioral diversity as, 569–572
 definition of, 450
 habitat fragmentation and, 706–711
 loss prediction, stochastic model for, 425–435
 of mammals, in Chiapas, Mexico, 780–799
 managing in forestry environment, 450–459
 of Mexican-United States border, 383–384
 monitoring, 392
 in Poland, 950–957
 prairie dog and, 677–680
 sustainable forestry and, 450
 Biological analysis, reserve planning and, 218–223
 Biological control, of ticks, 348
 Biological evaluation, 365
 Biological opinions, 983
 Biological population, 364
 Biopolitics
 of Mt. Graham red squirrel controversy, 979–983
 of taxonomy, 983–984
 Biosphere 2, 327–329
Biotic integrity, 910
 Birch (*Betula pendula*; *Betula pubescens*), 454
 Bird censuses
 extinction rates from, 491–494
 for Southern Finland, 535–536, 543–544
 Birds. *See also specific birds*
 agricultural land use in Illinois and, 147–155
 diversity, riparian vegetation conservation and, 669–673
 extinctions, habitat fragmentation and, 138–144
 forest-nesting, narrow corridors and, 1109–1119
 grassland, habitat area and, 1087–1095
 habitat mosaic in Colombian Amazon and, 545–554
 livestock grazing and, 633
 obligate ant-following, 1029
 passerine, rarity in North America, 1141–1144
 of Southern Finland, protected areas for, 532–541, 543–544
 species richness in riparian forest, 1098–1106
 Birth-death models, 574–576
Bischofia javanica (Koko), 1080
 Bison (*Bison bison*), 637, 646–647, 658, 678
Bison bonasus bonasus (lowland bison), 167–171
Bison bonasus (European bison), 167–171, 957
 Black-and-white saki monkey (*Pithecia pithecia*), 1029
 Black-billed Cuckoo (*Coccyzus erythrophthalmus*), 1113
 Blackbrush (*Coleogyne ramosissima*), 634
 Black-footed ferret (*Mustela nigripes*), 116, 263–265, 679
 Black grama (*Bouteloua eriopoda*), 684
 Black Grouse (*Lyrurus tetrix*), 455
 Black gum (*Nyssa sylvatica*), 1112
 Black-headed Grosbeaks (*Pheucticus melanocephalus*), 671
 Black howler monkey (*Alouatta pigra*), 338, 788
 Black-legged tick (*Ixodes pacificus*), 344
 Black lion tamarin (*Leontopithecus chrysopygus*), 940
 Black oak (*Quercus velutina*), 1112
 Black rhinoceros (*Diceros bicornis*), 495, 496, 833–838
 dehorning, extinction and, 1149–1152
 mitochondrial DNA variation in, 495–499
 Black-tailed Godwit (*Limosa limosa*), 954
 Black-tailed prairie dog (*Cynomys ludovicianus*), 678
 Blood sampling, Chatham Island Black Robin and, 857–861
 Blue Grosbeaks (*Guiraca caerulea*), 1103–1104
 Blue Jay (*Cyanocitta cristata*), 286–290
 Blue palo verde (*Cercidium floridum*), 463
 Blue Tit (*Parus caeruleus*), 538
 Bobcat (*Lynx rufus*), 284
Bocconia (Papaveraceae), 974
 Body weight heritability, 101–102
Boiga irregularis (brown tree snakes), 1079
Boloria acrocnema (Uncompahgre fritillary), pending extinction of, 86–93
Boloria acrocnema (Uncompahgre fritillary butterfly), 1156–1160
Boloria improba (northern dingy fritillary), 87, 89, 90, 91, 93, 1156
Boloria titania, 89, 90
Bombina variegata (yellow-bellied toad), 67
Bombus (bumblebee), 954
Bombus pascuorum (bumblebee), 1023
Bombicilla garrulus (Waxwing), 537
Bonasa bonasia (Hazel Grouse), 540
Borrellia burgdorferi, 344, 346, 349
Bos primigenius (Aurochs), 954
Bos primigenius (wild ox), 954
Bosque, 1100, 1104, 1105
Bouteloua curtipendula, 699
Bouteloua eriopoda (black grama), 684
Bouteloua gracilis (grassland dominated by blue grama), 684
Bradypus variegatus (three-toed sloth), 1029
 Brambling (*Fringilla montifringilla*), 537
Branta canadensis (Canada Geese), 746
Brassica campestris, 43
 Brazilian Amazon, modeling effects of land management, 196–206
 British Isles, extinction rates from regular censuses, 491–494
Bromus tectorum (cheatgrass), 633
 Broom dalea (*Dalea scoparia*), 1104
Broussonetia papyrifera, 826
 Brown bandicott (*Isodon macrourus*), 446
 Brown bear (*Ursus arctos*), 957
 Brown-headed Cowbird (*Molothrus ater*), 153, 286, 671
 Brown tree snakes (*Boiga irregularis*), 1079
 Brown trout (*Salmo trutta*), 881
Brucella, 649
Brucella abortus, 646, 650, 658
Brucella canis, 647
Brucella melitensis, 647, 648, 658
Brucella neotomae, 647, 648
Brucella ovis, 647
Brucella priscus, 646
Brucella spp., 658
Brucella suis, 647, 648
 Brucellosis
 in Greater Yellowstone Ecosystem, 658
 origin in bison of Yellowstone National Park, 645, 649–650
 origin in North America, 646–648
 Brush mouse (*Peromyscus boylii*), 685
 Brush-tailed possum (*Trichosurus vulpecula arborensis*), 440
Bufo americanus (American toad), 75
Bufo bufo (common toad), 61, 63, 67, 68, 81
Bufo calamita (natterjack toad), 61
Bufo canorus (Yosemite toad), 61
Bufo marinus (giant toad), 75
Bufo periglenes (golden toad), 61, 63, 73, 81
Bufo punctatus (red spotted toad), 685
Bufo (tadpole), 843
 Bumblebee (*Bombus pascuorum*), 954, 1023
Bupagus erythrorhynchus (Red-billed Oxpeckers), 342

- Burrowing bettongs (*Bettongia lesueur*), 439, 440
Bursera microphylla, 463, 464
 Bushy rock-rose (*Helianthemum dumosum*), 1095
Buteo buteo (Buzzard), 537
Buteo regalis (Ferruginous Hawks), 679
 Butterflies. See also specific butterflies
 Neotropical, monitoring of, 800–809
 Buzzard (*Buteo buteo*), 537
- Calidris pusilla* (Semipalmated Sandpiper), 860
- California
 anadromous fishes in, 869–870
 failed fishery policy of, 892–894
 Jasper Ridge, checkerspot butterflies on, 129–130
- Caligo atreus* (Ithomiines), 805
Calliandra peninsularis, 1136
Callipepla gambelii (Gambels'), 686
Callipepla gambelii (Scaled Quail), 686
Callitrix jacchus (common marmosets), 101
Caluromys phillander (bare-tailed woolly opossum), 1029
Calyptorhynchus funereus latirostris (Carnaby's Cockatoo), 55
 Campbell's monkey (*Cercopithecus campbelli*), 108–112
Campephilus, 514
 Canada Geese (*Branta canadensis*), 746
Canis familiaris (dogs), 1079
Canis latrans (coyote), 899
Canis lupus (gray wolf), 35, 131–132, 346, 715–716
 Canvasbacks (*Aythya valisineria*), 118
 Capercaillie (*Tetrao urogallus*), 19, 454, 539
 Captive breeding
 DNA fingerprinting for, 744–750
 of Pacific Salmon, 886–888
 programs, 102–103
 reintroductions and, 263–265
 Capuchin monkey (*Cebus apella*), 940
 Caracal (*Felis caracal*), 966
Carassius carassius (Crucian carp), 843
Cardamine impatiens, 405
Carduelis, 514
Carduelis flammea (redpoll), 537
Carex, 952, 1088
Carex davalliana, 952
 Caribou (*Rangifer tarandus*), 159, 648
Cariceto elongatae-Alnetum, 952
Caricetum gracilis, 952
Caricetum hudsonii, 952
Caricetum paradoxae, 952
Caricetum rostratae, 952
 Carnaby's Cockatoo (*Calyptorhynchus funereus latirostris*), 55
Carnegiea gigantea, 462, 464
Carpinus, 953
Carpodacus mexicanus (House Finch), 1142
 Carrot (*Apiaceae*), 271
 Carrying capacity, extinction time prediction and, 124–137
Carya (hickory), 824, 1073
 Cascades frog (*Rana cascadae*), 64, 67
Castilleja linariaefolia, 484, 485, 487
Castor canadensis (American beaver), 715
Castor fiber (European beaver), 713–717, 957
 Catastrophes, 412
 Cattle
 brucellosis in, 649–650
 grazing. See Livestock grazing
Caulophyllum, 1074, 1076
Cavanillesia platanifolia, 1001
Cebus apella (Capuchin monkey), 940
Cebus capucinus, 111
Cebus (sloth), 789
Cedrela odorata, 235
Cedrela (tropical cedars), 974
Celastraceae (Maytens), 235
Centrolenella fleischmanni (glass frog), 81
Cerambyx cerdo (longicorn cerambyx), 954
Ceratotherium simum (white rhino), 833–838
Cercidium floridum (blue palo verde), 463
Cercidium gigantea, 463
Cercidium microphyllum (little leaf palo verde), 463, 464
Cercocarpus atys (sooty mangabey), 108–112
Cercomacra tyrannina, 547
Cercopithecus campbelli (Campbell's monkey), 108–112
Cercopithecus diana (Diana monkey), 108–112
Cercopithecus petaurista (lesser spot-nosed monkey), 108–112
Certhia familiaris (Treetreeper), 537
Cervus elaphus (elk), 646, 657, 678
Cervus elaphus (red deer), 159
 Chaffinch (*Fringilla coelebs*), 541
Chamaedaphne calyculata, 952
 Chamois (*Rupicapra rupicapra*), 957
 Chapman's oak (*Quercus chapmanii*), 1049
 Characters
 evolutionary significant units and, 357
 quality of, 357–358
Charadrius montanus (Mountain Plovers), 678
 Chatham Island Black Robin (*Petroica traversi*), 857–861
 Cheatgrass (*Bromus tectorum*), 633
 Cheetah (*Acinonyx jubatus*), 116, 158, 961–968, 1153–1154
Chelidoptera tenebrosa, 551
Chenopodium album, 826
Chiasmocleis shudikarensis (tropical frog), 1029, 1030, 1031, 1032
 Chile
 avian communities of fragmented south-temperate rain forests, 508–520
 Lactoris ferandeziana, 277–279 of
Chlidonias leucopterus (White-winged Black Tern), 954
Chilopsis linearis, 463
Chimaphila maculata, 825
 Chinook salmon (*Oncorhynchus tshawytscha*)
 life history variation, 876–880
 mitochondrial DNA polymorphism, 882–884
 Chinook salmon (*Oncorhynchus tshawytscha*), 869, 870–872
 Chipmunk (*Tamias striatus*), 52
 Chipping (*Spizella passerina*), 1102
Chiroptera, all species (bat), 957
Chloroceryle india, 549
Chondestes grammacus (Lark), 1103
Chrysothamnus (sagebrush-rabbitbrush), 634
 Chum salmon (*Oncorhynchus keta*), 869
Chusquea (bamboo), 509
Chusquea (Poaceae), 974
Chysocyon brachyurus (maned wolves), 118
Cicindela cuprascens, 358, 361
Cicindela curvata, 359, 360
Cicindela dorsalis, 360
Cicindela dorsalis dorsalis (beach tiger beetle), 358–361
Cicindela macra, 358, 361
Cicindela puritana (Puritan tiger beetle), 354, 358–361
Circus gallicus (Short-toed Eagle), 954
Circus pygargus (Montagu's Harrier), 954
Cistothorus platensis (Sedge Wrens), 151
 Citizens, ecosystem management and, 33–34
 Cladogram and population aggregation analysis, 358–360
Claytonia virginica, 1075
 Clearcutting, vs. wildfire with salvage-logging, 1047–1055
Clethra alnifolia (Sweet pepperbush), 1112
Clidemia hirta, 709
 Climate-linked contaminant pulse hypothesis, 82
 Climate-linked epidemic hypothesis, 81
Cnemidophorus inornatus (striped whiptail), 685
Cnemidophorus sexlineatus, 1051–1053, 1055
 Coastal cutthroat trout (*Oncorhynchus clarki clarki*), 869
Coccyzus americanus (Yellow-billed Cuckoo), 1113
Coccyzus (Cuckoo species), 1113
Coccyzus erythrophthalmus (Black-billed Cuckoo), 1113
 Cockatiels (*Nymphicus hollandicus*), 118
 Coconuts (*Cocos nucifera*), 1080
Coenagrionidae (damselflies), 688
 Coevolution, wildlife disease and, 656–658

- Coho salmon (*Oncorhynchus kisutch*), 887
 Coho salmon (*Oncorhynchus kisutch*), 869
 Coigüe trees, 509
Coleogyne ramosissima (blackbrush), 634
Coleoptera, 454, 726, 728
Colobus polykomos (Western black-and-white colobus), 108–112
 Colombia
 Amazon rain forest, sustainable use in, 545–554
 forest fragmentation and bird extinctions in, 138–144
 Colonization, metapopulations and, 375–376
Colorbambus parvirostris, 515
Columba, 514
Columba araucana, 515
Columba leucocephala (White-crowned Pigeon), 770–777
Columba livia (Domestic pigeons), 116
Columba livia (feral pigeon), 537
Columba mayeri (Mauritius Pink Pigeon), 116
Columba oenas (Stock Dove), 537
Columba palumbus (Woodpigeon), 537
Columbina (doves), 550
 Comarca Lagunera, Mexico, 382–383
Commelina communis, 826
 Commensals, 657–658
 Common guppy (*Poecilia reticulata*), 420
 Common marmosets (*Callithrix jacchus*), 101
 Common toad (*Bufo bufo*), 61, 63, 57, 68
 Common Yellowthroat (*Geothlypis trichas*), 671
 Competition wildlife disease and, 657
 Completeness of search, meta-analysis and, 558
Composite transect, 826
 Computer simulation. *See* Simulation models
 Concho river snake (*Nerodia barteri*), 983
 Conservation biologists
 common ground for, 598–599
 implications of Lyme disease for, 349
 undergraduate education and, 589–591
 Conservation biology, goal of, 598
 Conservation management, diagnosing units of, 354–361
 Conservation organizations, 1165
 Conservation units, delimiting, phenetic approaches for, 355–356
Contraceptum, 423
Conurospis carolinensis, 514
 Cook Islands, recovery of Kakerori in, 1078–1085
 Coqui frog (*Eleutherodactylus coqui*), 61
Corchorus parviflorus, 446
Cordia alliodora, 480
 Coriariaceae (*Coriaria*), 974
 Corn snake (*Elaphe guttata*), 284
Cornus (dogwood), 578, 824, 1072
 Corridors
 contagious disease and, 256–261
 functions, 370
 width, forest fragmentation and, 1109–1119
Corvus corax (Raven), 540
Corvus cornix (Hooded Crow), 24, 537
Corydalis flavula, 1074
 Costa Rica
 amphibian declines, climate disturbances and, 72–82
 Barra del Colorado Wildlife Refuge, 594
 conservation in, 592–595
 Pentaclethra macroloba genetic variation in, 471–481
 Pentaclethra macroloba population differentiation in, 476–481
 Tortuguero National Park, 594
 Cotton rats (*Sigmodon hispidus*), 578
 Cottontail rabbit (*Sylvilagus sp.*), 899
 Cotton-top tamarins (*Saguinus oedipus*), genetic variation in, 95–103
 Cottonwood (*Populus fremontii*), 633, 1100
Coturnix coturnix (Quail), 18
 Cowbird (*Molothrus ater*), 22
 Coyote (*Canis latrans*), 899
 Coyote willow (*Salix exigua*), 1100
 Crane (*Grus grus*), 541
 Creosote bush (*Larrea tridentata*), 632, 684
 Crested Caracara (*Polyborus plancus cheriwayi*), 284
 Critical habitat, 984–985
 Critical lower population sizes, birth-death models and, 575–576
Crocota crocuta (hyenas), 968
Crocotta crocutta (spotted hyena), 158–159
Croton lechleri (*Euphorbiaceae*), 233
Crotopaga ani, 550
Crotopaga major, 551
 Crucian carp (*Carassius carassius*), 843
 Cuckoo species (*Coccyzus*), 1113
Culex pipiens (mosquito), 420
 Cumulative impact analyses, 369
Cyanerpes ceruleus, 548
Cyanocitta cristata (Blue Jay), 286–290
Cygnus cygnus (Whooper Swan), 954
Cymophyllus, 296
Cymophyllus fraseri, 296, 297
Cynomys (prairie dog), 263, 678–680
Cyprinodon tularosa (white sands pupfish), 689
Cyrrilla racemiflora, 1123, 1127

Dacryodes excelsa, 1123, 1127
Dalea scoparia (Broom dalea), 1104
 Dall sheep (*Ovis dalli*), 159
Dama dama (fallow deer), 160
 Damsel flies (*Coenagrionidae*), 688
Danthonia, 1088
Daphne mezereum, 406
 Dark-eyed Junco (*Junco hyemalis*), 1142
 Data collection, 31
Datura, 468
Datura discolor, 464, 467
 Deciduous oaks (*Quercus*), 287
 Deer mouse (*Peromyscus maniculatus*), 346, 578, 688
 Deforestation, estimates, for neotropical countries, 432
Delpbium nelsonii, 487
 DELTA (Dynamic Ecological-Land Tenure Analysis model), 198–206, 1030–1034
 Delta smelt (*Hypomesus transpacificus*), 869
Dendrobates pumilio (poison dart frog), 67
Dendrocincla merula (obligate ant-following birds), 1029
Dendrocopos leucotos (White-backed Woodpecker), 540
Dendrocopos minor (Lesser Spotted Woodpecker), 540
Dendrocopos leucotos (White-backed Woodpecker), 728
Dendroica chrysoparia (Golden-cheeked Warbler), 286–290
 Dennstaedtiaceae (*Pteridium*), 974
 Dense wolf (*Canis lupus*), 715–716
 Density-dependent population analysis, 126–127
Dentaria, 1074
Dermaptemys mawii (river turtle), 338
 Desert topminnows, parasitic susceptibility, 419–423
 Desert tortoise (*Gopherus agassizii*), 67
 Desert woodrat (*Neotoma lepida*), 648
Desmognathus ochropbaeus, 67
Desmognathus (salamander), 67, 300–304
 Determination of effect documents, 365
 Diana monkey (*Cercopithecus diana*), 108–112
Dicentra, 1070, 1076
Dicentra canadensis, 1073–1076
Dicentra cucullaria, 1074
Diceros bicornis. *See* Black rhinoceros (*Diceros bicornis*)
 Dickcissel (*Spiza americana*), 151
Didelphis marsupialis (Opossum), 284
 Die-offs, natural, of large mammals, 410–416
Dioscorea sansibarensis Pax, 709
Dipodomys agilis (kangaroo rat), 817
Dipodomys merriami (kangaroo rat), 685, 817
Dipodomys spectabilis (kangaroo rat), 817–819
Dipodomys stephensi (Stephan's kangaroo rat), 810–819
 Disease
 contagious, conservation corridors and, 256–261
 endangered species conservation and, 116–118
 DISPATCH model, 765

- Dispersal rates, 54–55
 Dispersal routes, 53
 Disturbance, succession and, 375
 DNA fingerprinting, of Hawaiian geese, 744–750
Dodecatheon meadia, 695
 Dogs (*Canis familiaris*), 1079
 Dogwood (*Cornus florida*), 578, 824
 Domestic pigeons (*Columba livia*), 116
 Doormouse (*Muscardinidae* all species), 957
 Douglas-fir (*Pseudotsuga menziesii*), 986
 Doves (*Columbina*), 550
Dracula (orchid taxa), 430
Drimys winteri (coigue tree), 509
Dromicus (snakes), 571
Drosera, 952
Drosera anglica, 952
Drosera intermedia, 952
Drosera rotundifolia, 952
Drosophila, 90, 257, 609
Dryomarchon corais (Indigo snake), 284
Duchesnea indica, 826
 Dynamic Ecological-Land Tenure Analysis (DELTA), 198–206, 1030–1034
- Early-successional communities, 370
 Eastern barred bandicoot (*Perameles gunnii*), 964
 Eastern bettong (*Bettongia gaimardi*), 446
 Eastern European hedgehog (*Erinaceus roumanicus*), 957
 Eastern hemlock (*Tsuga canadensis*), 752, 753
 Ecological boundaries, 29–30
 Ecological estimation, of effective population size, 177, 183–184
 Ecological integrity, 30–31
 Ecological scale, 364
 Ecological trap hypothesis, 18
 Economic alternatives
 outside of reserves, 391
 in reserves, 391
 Economic growth, environmental degradation and, 1161–1162
 Ecosystem
 functional disruption, livestock grazing and, 633–634
 processes and services, 394
 structural alteration, livestock grazing and, 634–635
 Ecosystem conservation, 598
 Ecosystem management, 27–28
 dominant themes of, 29–31
 goals, 31–32
 historical development of, 28–29
 long-term policy implications, 34–35
 short-term policy implications, 32–34
 success, evaluation of, 35
Ectopistes migratorius, 514
 Edge effects, 393
 on avian nests, 17–25
 direct gradient vs. multivariate analyses of, 822–830
 nesting and, 151
 nesting avifauna and, 152–153
 Education, conservation, 622–624
 attitudes toward nature and, 846–852
 teaching problem solving, 902–904
 Effective population size
 Chinook salmon, 890–892
 of conserved populations, 175–181, 183–184
 Pacific salmon, 888–890
Elaeagnus angustifolia (Russian-olive), 1100
Elaenia, 512–515
Elaenia albiceps, 511, 512
Elaeocarpus (Karaika), 1080
Elaeophora schneideri, 657
Elaphe guttata (corn snake), 284
Elaphe obsoleta (yellow rat snake), 284
Elapsostrongylus, 656
 Electrophoretic heterozygosity, significance, 167–171
Eleutherodactylus coqui (Coqui frog), 61
 Elk (*Cervus elaphus*), 646, 678
 El Niño, amphibian declines and, 76–81
Emberiza rustica (Rustic Bunting), 537
Embotrium coccinium, 515
Empidonax traillii, 547, 549
 Endangered Species Act, 895–896, 979–980, 983–984, 987
Endymion nonscriptus, 405
 Engelmann spruce (*Picea engelmannii*), 979
Enicognathus, 514, 515
Enicognathus leptorhynchus, 515
 Environmental degradation, economic growth and, 1161–1162
 Environmental domain analysis, 217–222
 Environmental impact assessments, 364
 Epidemiologic interference, 656
Epipactis belleborine, 432
Epipactis palustris, 952
Eremophila alpestris (Horned Larks), 150
Erethizon dorsatum (porcupine), 899
Erinaceus europaeus (hedgehog), 957
Erinaceus roumanicus (Eastern European hedgehog), 957
Eriophorum gracile, 952
Erythrina flabelliformis, 1135
Esox lucius (pike), 843
 ESU (evolutionary significant units), 355, 356–357
 Ethnobotanical data, for forest type utility analysis, 225–248
Eucalyptus, 523, 1004, 1010
Eucalyptus albens (white box), 1003–1012
Eucalyptus caesia, 1004
Eucalyptus crucis, 1004
Eucalyptus lateritica, 1004
Eucalyptus melanophylla, 1004
Eucalyptus melliodora, 1004, 1010
Eucalyptus microcarpa, 1004, 1010
Eucalyptus miniata, 446
Eucalyptus ptiligaeensis, 1004
Eucalyptus populnea, 1004, 1010
Eucalyptus sideroxylon, 1004
Eudocimus albus (White Ibis), 860
Eudynamis taitensis (Long-tailed Cuckoos), 1082
Euglossa (Euglossine bees), 1029
 Euglossine bees (*Euglossa*), 1029
 Euglossine bees (*Eulaema*), 1029
Eulachon (*Thaleichthys pacificus*), 869
Eulaema (Euglossine bees), 1029
Eumeces egregius, 1051, 1052, 1055
Eumeces inexpectatus, 1051, 1052
Eupatorium, 296, 297
Euphonia chlorotica, 548
Euphorbiaceae (*Croton lechleri*), 233
Euphydryas editha bayensis (bay checkerspot butterfly), 129
 Eurasian Curlew (*Numenius arquata*), 954
 European beaver (*Castor fiber*), 713–717
 European bison (*Bison bonasus*), 167–171, 957
 European mink (*Mustela lutreola*), 957
 European Nuthatch (*Sitta europea*), 53
 European rabbits (*Oryctolagus cuniculus*), 657
 European Starlings (*Sturnus vulgaris*), 671
 European toad (*Bufo bufo*), 81
Eurycea wilderae, 300
 Evolutionary significant units (ESU), 355, 356–357
 Exotic species, 394
 Extinction
 of American marten, 1058–1067
 of black rhinos, 1149–1152
 Extinction predictions, for Neotropical countries, 432–433, 435
 Extinction probability, minimum set analysis for, 398–409
 Extinction rates
 island, from regular censuses, 491–494
 in Neotropical countries, 433
 Extinctions, 373–375
 amphibian, 60–68
 of birds, habitat fragmentation and, 138–144
 local, 52

pending, of uncomphagre fritillary butterfly, 86–93
 of plant species, in Singapore, 705–711
 Extinction time, prediction, from stochasticity and carrying capacity, 124–137

Fagraea, 1080

Fagraea berteriana (Pupa), 1080

Fagus, 953

Fagus grandifolia (American beech), 824, 825, 828, 1072

Fagus sylvatica, 727, 1010

Falco peregrinus (Peregrine Falcon), 538–539

Falco sparverius (American kestrel), 117

Fallow deer (*Dama dama*), 160

Felis caracal (Caracal), 966

Felis catus (feral cats), 569, 1079

Felis concolor (American cougar, mountain lion, puma), 131, 967, 1154

Felis lybica (African wildcat), 966

Felis onca (jaguar), 1029

Felis silvestris (wildcat), 957

Female fecundity, 183–184

Fencelines, Loggerhead Shrike reproduction success and, 281–284

Feral cats (*Felis catus*), 569, 1079

Feral chickens (*Gallus domesticus*), 1085

Feral Pigeon (*Columba livia*), 537

Ferruginous hawks (*Buteo regalis*), 679

Fetterbush (*Lyonia ferruginea*), 1049

Ficedula hypoleuca (Pied Flycatcher), 537

Ficedula parva (Red-breasted Flycatcher), 537

Ficus insipida, 233

Ficus platypoda, 442, 447

Fieldfare (*Turdus pilaris*), 537

Field Sparrow (*Spizella pusilla*), 22

Finland

Oijusluoma forest, biodiversity and forest management, 454–459
 protected areas for land birds of, 532–541, 543–544

Fir (*Abies alba*), 953

Fire

effects on reptile communities in sand-pine scrub, 1047–1055
 in grassland management, 694–696

Fish, tree frog distribution and, 841–844

Fitchia speciosa (Neinei), 1080

Flora Neotropica, 430, 431

Florida Key deer (*Odocoileus virginianus clavium*), 984

Florida Keys, postfledgling dispersal of White-crowned Pigeons, 770–777

Floridanum, 828

Flycatchers (*Pomarea*), 1083, 1084

Forbs (*Lysimachia*), 1088

Forestiera neomexicana (New Mexico olive), 1100

Forest management

in Baja California Sur, Mexico, 1132–1139

Luquillo Mountains, Puerto Rico, 1122–1130

threatened species in Sweden and, 728–729

Forest resources, multiple-use planning for, 452

Forestry environment, managing biodiversity in, 450–459

Forests

commercial usage, 298–299

environmental degradation, roads and, 972–975

Forest vegetation mapping units, 218–219

Fox squirrel (*Sciurus niger*), 286

Fragaria vesca, 405

Fragmented populations, conservation of, 50–56

Francisella tularensis, 657

Fraxinus americana, 1072

Fraxinus excelsior, 402

Free trade, environmental degradation and, 989–995

Fringilla coelebs (chaffinch), 541

Fringilla montifringilla (brambling), 537

Frugivores, 550

Furnariids, 512–515

Galium boreale, 695

Gallus domesticus (chickens), 1085

Gambels' (*Callipepla gambelii*), 686

Gambusia, 423

Gambusia affinis (Mosquitofish), 44, 420

Garrulus glandarius (jay), 24

Garrya salicifolia, 1136

Garter snake (*Thamnophis elegans vagrans*), 634

Gastric brooding frog (*Rheobatrachus silus*), 63

GATT (General Agreement on Tariffs and Trade), 989–995

Gaylussacia, 1073

General Agreement on Tariffs and Trade (GATT), 989–995

Genetic methods, for effective population size estimation, 176–177

Genetics

captive breeding reintroductions and, 263–265

detection of rare alleles and, 267–269

Genetic Stock Identification (GSI), 879–880

Genetic variation

in black rhinoceros, 495–499

in cotton-top tamarins, 95–103

in *Gentiana pneumonanthe* L., 1014–1024

in parasitic susceptibility of desert topminnows, 419–423

in *Pentaclethra macroloba*, 471–481

in *Ptilimnium nodosum*, 271–275

quantitative, natural selection and, 42–43

of white box populations, 1003–1012

Genotype-by-environment interactions, ex situ seed banks and, 43–44

Genotype diversity, ex situ seed banks and, 44

Gentiana, 1022

Gentiana pneumonanthe, 952, 1015–1024

Geographical subdivisions. See Subdivisions

Geographic information system (GIS)

for landscape design, 752–760

landscape restoration after fire, 763–768

Geothlypis trichas (Common Yellowthroats), 671

Geranium, 1074

Geranoaetus melanoleucus, 510

Giant kingfern (*Angiopteris longifolia*), 1080

Giant panda (*Ailuropoda melanoleuca*), 604

Giant toad (*Bufo marinus*), 75

Gila woodpeckers (*Melanerpes uropygialis*), 671

Glass frog (*Centrolenella fleischmanni*), 81

Glaucis hirsuta, 549

Global climatic change, drought-induced soil cracks as refuge for small mammals, 577–579

Glossina (tsetse fly), 604

Glycerium aquaticae, 952

Golden bandicoot (*Isodon auratus*), 439, 440

Golden-cheeked Warbler (*Dendroica chrysoparia*), 286–290

Golden Eagle (*Aquila chrysaetos*), 727

Goldenrod (*Solidago*), 578

Golden toad (*Bufo periglenes*), 61, 63

population declines, climate disturbances and, 72–82

Goodding willow (*Salix gooddingii*), 1100

Goodyera, 296

Gopherus agassizi (desert tortoise), 67

Grasshoppers, livestock grazing and, 633

Grasshopper Warbler (*Locustella naevia*), 954

Grasslands

prairie dog biodiversity in, 677–680

species diversity management, 691–700

Gray fox (*Urocyon cinereoargenteus*), 346

Gray wolf (*Canis lupus*), 131–132, 346

Greater Prairie Chicken (*Tympanuchus cupido*), 150

Great Tit (*Parus major*), 538

Greenishank (*Tringa nebularia*), 537

Green sturgeon (*Acipenser medirostris*), 869

Grizzly bear (*Ursus arctos*), 28, 130–131, 899

Ground-nesting Sparrows, 151

Growth rates

high variance, persistence and, 371

low or negative, birth-death models and, 575

Grus americana (Whooping Cranes), 116

Grus canadensis (Sandhill Cranes), 116

Grus grus (Crane), 541

GSI (Genetic Stock Identification), 879–880

- Guttraca caerulea* (Blue Grosbeaks), 1103–1104
Gymnophthys leucaspis, 549
Gymnophthys rufigula (obligate ant-following birds), 1029
Gyrodactylus, 420, 423
Gyrodactylus bullatarudis, 422
Gyrodactylus turnbulli, 420, 422, 423
- Habitat creation, 375
Habitat disturbance, species richness prediction and, 521–529
Habitat fragmentation, 370–371, 393
 avian communities from, 508–520
 and biodiversity, in Poland, 949–957
 bird extinctions and, 138–144
 corridor width and, 1109–1119
 of deciduous forests, logging and, 295–297
 faunal biodiversity in Central Amazon and, 1027–1034
 grassland birds and, 187–1095
 primate habitat use correlates and, 106–112
 species diversity and, 706–711
 by urban development, bird populations and, 286–290
 of white box woodlands, 1003–1012
Habitat grid, 426–427
Habitat manipulation, for tick management, 347
Habitat patches
 persistent populations in, 51–52
 size, shape and quality of, 53
Habitats, associations for threatened species in Sweden, 723
Habitat-use index, 108–109
Halictidae (sweat bees), 688
Halocarpus bidwillii, 1011
Hare (*Lepus americanus*), 899
Harlequin frog (*Atelopus varius*), population decline, climate disturbances and, 72–82
Harvested species, impact monitoring and, 393–394
Hawaiian Geese, 744–750
Hazel Grouse (*Bonasa bonasia*), 540
Hedgehog (*Erinaceus europaeus*), 957
Helianthemum dumosum (bushy rock-rose), 1095
Helianthus (sunflowers), 693
Heliconia, 550
Heliotropium ovalifolium (dicot), 446
Hemignathus parvus, 367
Herbs, vernal, 1069–1076
Hermidium monorchis, 952
Hernandia moerenhoutiana (turina), 1080
Herpestes auroguttatus (mongoose), 1079
Herpesvirus infections, 116, 117
Herring Gulls (*Larus argentatus*), 776
Hesperia comma, 375
Heterosperma pinnatum, 43
Hibiscus tiliaceus ('Au'), 1080
Hickory (*Carya* spp.), 824
Hierarchical context, 29
Highbush blueberry (*Vaccinium corymbosum*), 1112
Hill equation, 183
Hispaniolan Parrots (*Amazona ventralis*), 119
Hole-Nesters (Wryneck *Jynx torquilla*), 537
Homalium acuminatum (Mato), 1080
Homozygosity, inbreeding depression in cheetah and, 961–968
Honey mesquite (*Prosopis glandulosa*), 684
Hooded Crow (*Corvus cornix*), 24, 537
Hoplomys gymnurus, 789
Horned Larks (*Eremophila alpestris*), 150
Horses, brucellosis in, 649
House Finch (*Carpodacus mexicanus*), 1142
House Sparrow (*Passer domesticus*), 537
Howellia aquatilis, 269, 273
Howler monkey (*Alouatta palliata*), 781, 786, 788
Howler monkeys (*Alouatta fusca*), 940
Human density, as human-wildlife conflict predictor, 249–254
Human population control, 305–313
Humans, embedded in nature, 31
Human-wildlife conflict, human density and, 249–254
Hummingbird (*Eutoxers aquila*), 143
Hybognathus amarus (Silver minnow), 941
Hybomitra, 657
Hyenas (*Crocuta crocuta*), 968
Hyla arborea (tree frog), 841–844
Hyla cadaverina, 67
Hyla regilla (Pacific treefrog), 67
Hyles lineata (sphingid moth), 466
Hylophylax poecilonota, 549
Hymenoptera (parasitoid insects), 725, 726
Hypericum perforatum, 826
Hypomesus transpacificus (delta smelt), 869
- ICDPs (integrated conservation and development projects), 388–395
Icteria virens (Yellow-breasted Chat), 1103
Icterus galbula (Northern Oriole), 1102, 1142
Icterus spurius (Orchard Orioles), 672
Idaho National Parks, proposed, ecological evaluation of, 207–216
Ilex opaca (American holly), 825, 1112
Illinois, agricultural land use, birds and, 147–155
Impact monitoring, 392–394
Impala (*Aepyceros melampus*), predation, natural vs. human, 158–164
INBio (Instituto Nacional de Biodiversidad), 594
Inbreeding depression, 562–567
 in cheetah, 961–968
India, Gir Forest, lion-human conflict in, 501–506
Indicator assemblages, for biodiversity monitoring, 392
Indigo Buntings (*Passerina cyanea*), 151
Indigo snake (*Drymarchon corais*), 284
Ingleborough limestone pavements, United Kingdom, species turnover, 398–409
Inocarpus fagiferus (I'i), 1080
Insects, livestock grazing and, 631–633
Instituto Nacional de Biodiversidad (INBio), 594
Insular biogeography, 370
Integrated conservation and development projects (ICDPs), 388–395
 design of ecological monitoring projects for, 391–394
 ecological monitoring projects of, 390
 economic alternatives promotion and, 391
 for Masoala Peninsula, Madagascar, 394–395
Interagency cooperation, 31
 encouragement of, 34–35
Interspecific hybridization, salmonids and, 881–882
Ips thypographus, 953
Irialea deltoidea, 231, 232
Ironwood (*Oleina tesota*), 462, 463
Island biogeography, equilibrium theory of, 404, 426
Island extinction rates, 491–494
Island theory, 433–434
Isodon, 446
Isodon auratus (golden bandicoot), 439, 440
Isodon macrourus (brown bandicoot), 446
Isodon obesulus, 446
Ithomiines (*Caligo atreus*), 805
Ixodes dammini (*Ixodes scapularis*), 344
Ixodes pacificus (black-legged tick), 344, 345
Ixodes ricinus (tick), 344
Ixodes scapularis, 344, 345, 347, 348
- Jacamerops aurea*, 548
Jack Snipe (*Limnocryptes minimus*), 537
Jaguar (*Felis onca*), 1029
Jatropha cinerea, 1135
Jatropha cuneata, 463, 464
Jatropha glandularis, 24
Jay (*Garrulus glandarius*), 24
Juan Fernandez Islands, Chile, *Lactoris fernandeziana* of, 277–279
Junco hyemalis (Dark-eyed Junco), 1142
Juniperus ashei (Ashe juniper), 287

- Juniperus monosperma* (one seed juniper), 684
Justicia californica, 463
- Kakapos (*Strigops habroptilus*), 269
 Kakerori (*Pomarea dimidiata*), 1078–1085
Kalmia, 1073
Kalmia latifolia (Mountain laurel), 1112
 Kangaroo rat (*Dipodomys agilis*), 817
 Kangaroo rat (*Dipodomys merriami*), 817
 Kangaroo rat (*Dipodomys spectabilis*), 817–819
 Karaka (*Elaeocarpus*), 1080
 Kemp's ridley turtle (*Lepidochelys kempi*), 853–855
 Koko (*Bischofia javanica*), 1080
Krameria grayii, 464
- Lactoris fernandeziana, 277–279
Ladoga camilla, 376
Lagarostrobos franklinii, 218
Lagopus scotius (Red grouse), 117
 Lake Tanganyika, Africa, 330–332
Lama pacos (alpacas), 655–656
Lampetra ayersii (river lamprey), 869
Lampetra tridentata (Pacific lamprey), 869
 Land management, in Brazilian Amazon, 196–206
 Landscape
 integrated design, 752–760
 nesting and, 151
 spatial configuration, 53–54
 structural restoration after fire, 763–768
 Landscape structure
 dynamic, 55–56
 static, 51–54
 Land-use history, commercial forest usage, plant demography and, 298–299
Laniocera hypopirra, 548
 Larch bud moth (*Zetaphra griseana*), 953
 Lark (*Chondestes grammacus*), 1103
Larrea (creosotebush), 632
Larrea tridentata, 462, 463
Larrea tridentata (creosote bush), 684
Larus argentatus (Herring Gulls), 776
 Lava lizards (*Tropidurus*), 569
Layia discolor, 1021
 Lazuli buntings (*Passerina amoena*), 671
 Least Bell's Vireo (*Vireo bellii pusillus*), 1099
Leontopithecus chrysopygus (Black lion tamarin), 940
Leontopithecus, 940
 Leopard frog (*Rana pipiens*), 61, 64, 82
 Leopard (*Panthera pardus*), 964, 966, 968
Leopardus pardalis (Ocelot), 964, 966
Lepidochelys kempi (Kemp's ridley turtle), 853–855
Lepidoptera, 726
Leptonycteris (bat), 462
Lepus americanus (hare), 899
Lerrea tridentata, 464
Lespedeza bicolor, 826
 Lesser spot-nosed monkey (*Cercopithecus petaurista*), 108–112
 Lesser Spotted Woodpecker (*Dendrocopos minor*), 540
Liatris borealis (Northern Blazing Star), 1095
Ligustrum sinense, 826, 828
Limosa limosa (Black-tailed Godwit), 954
 Lion (*Panthera leo*), 968
 human conflict, in Gir Forest, India, 501–506
 predation by, 158–159
Liparis loeselii, 952
Lippia palmeri, 464
Liquidambar styraciflua (sweetgum), 824, 825, 826, 1112
Liriodendron tulipifera, 296, 1072
 Little leaf palo verde (*Cercidium microphyllum*), 463
 Livestock grazing, 613–616, 919–921
 ecological costs, 629–638
 grassland management and, 696–698
 subdivisions vs. agriculture, 905–907
 Lizards, livestock grazing and, 633
Locustella naevia (Grasshopper Warbler), 954
 Lodgepole pine (*Pinus contorta*), 24
 Loggerhead shrikes, reproduction success, fencelines and, 281–284
 Loggerhead turtles (*Caretta caretta*), 854
 Logging, fragmentation of deciduous forests and, 295–297
 Longfin smelt (*Spirinchus thaleichthys*), 869
 Longicorn cerambyx (*Cerambyx cerdo*), 954
 Longicorn rosaria (*Rosalina alpina*), 954
 Longleaf pine (*Pinus palustris*), 27, 1049
 Long-tailed Cuckoos (*Eudynamis taitensis*), 1082
 Long-tailed Tit (*Aegithalos caudatus*), 540
Lonicera japonica, 825, 826
Lophoceros schottii (senita cactus), 463
Lotus purshianus, 695
 Louisiana black bear (*Ursus americanus luteolus*), 984
 Lowbush blueberry (*Vaccinium angustifolium*), 1088
 Lowbush blueberry (*Vaccinium vacillans*), 1112
 Lowland bison (*Bison bonasus bonasus*), 167–171
Loxodonta africana (African elephants), 163
Lucanus cercus (stag beetle), 954
Luehopsis boehnei, 233
Luehopsis hoehnei (*Tillaea*), 231
 Lungworm-pneumonia complex, in bighorn sheep, 658–659
Lycaon pictus (African wild dog), 158–159
Lycium andersonii, 464, 467
Lycium tridentata, 467
Lycium (wolfberry), 1100
Lycopodium inundatum, 952
 Lyme disease (*Lyme borreliosis*), 343–349
Lymantria minimus (Jack Snipe), 537
Lynx rufus (bobcat), 284
Lyonia ferruginea (fetterbush), 1049
Lyrurus tetrix (Black Grouse), 455
Lysitoma divaricata, 1135
Lysimachia (forbs), 1088
- Macaca*, 111
Macaca nemestrina (pig-tailed macaques), 341
 MacGillivray's (*Oporornis tolmiei*), 1104
 Madagascar, Masoala Peninsula of, 394–395
 Magpie (*Pica pica*), 23
 Maine, grassland birds, habitat area and, 1087–1095
Malaxis paludosa, 952
 Male mating success, 184
 Male yellow-bellied toad (*Bombina variegata*), 67
 Mammals
 Australian, decline and extinction of, 439–447
 diversity in Selva Lacandona, Chiapas, Mexico, 780–799
 large, natural die-offs of, 410–416
 minimal viable population density, 732–743
 small, drought-induced soil cracks as refuge for, 577–579
Manacus manacus, 547
 Managers, ecosystem management and, 33
Manduca quincemaculata (sphingid moth), 466
 Maned wolves (*Chrysocyon brachyurus*), 118
Manilkara bideniata (Ausubo), 1124
 Marbled salamander (*Ambystoma opacum*), 61
 Margays (*Leopardus wiedii*), 966
Marmota marmota (marmot), 957
Martes americana (American marten), 368, 1058–1067
Martes foina (Beech marten), 957
Masdevallia (orchid taxa), 430
 Mato (*Homalium acuminatum*), 1080
 Mauritius Pink Pigeon (*Columba mayeri*), 116
 Maytenus (*Celastraceae*), 235
Maytenus phyllanthoides, 464
 Meadow Pipit (*Anthus pratensis*), 537
Melanerpes uropygialis (Gila Woodpeckers), 671
 Melastomataceae (*Tibouchina*), 974

- Meleagris gallopavo* (wild turkeys), 117
Mellicta albatia, 375
Mellicta cinxia, 375
Melochia tomentosa, 464
Mempbis spp., 805
Menidia beryllina (tidewater silversides), 382
Mephitis mephitis (striped skunk), 18, 284
 Merriam's kangaroo rat (*Dipodomys*), 685
Mertensia, 1073, 1074, 1075
Mertensia virginica, 1076
 Mesquite (*Prosopis velutina*), 462, 463
 Mestizo people, forest type usefulness for, 226–237
Mestizo/riberño, 234
 Meta-analysis, 555–559
 limitations of, 558–559
 single vs. multiple measures of effect, 558
 Metapopulations
 colonization and, 375–376
 mosaics and, 376–377
 Mexican golden trout (*Oncorhynchus chrysogaster*), 866
 Mexican-United States border, biodiversity of, 383–384
 Mexico, 379–381
 Baja California Sur, forest management in, 1132–1139
 basin management, 384
 Comarca Lagunera, 382–383
 development, critical limits to, 384–385
 fish fauna of, 383–384
 Monterrey, water in, 383
 northern, water in, 381–382
 regional planning for, 384
 Selva Lacandona, Chiapas, mammal diversity in, 780–799
 Sonora, coastal plain of, 383
Microbates collaris, 547
 Microsporidean protozoan (*Plistophora myotrophica*), 82
Microstegium vimineum, 826, 828
Microtus ochrogaster (prairie voles), 578
 Migrations, 376
 stopover habitat quality and, 483–488
Mimosa xantii, 1136
 Minimally viable habitat, 984–985
 Minimal viable population density (MVPD), 732–743
 Minimum set analysis, for extinction probability, 398–409
 Minnesota, boundary waters canoe area, landscape restoration after fire, 763–768
 Mires (Ruff *Philomachus pugnax*), 537
 Mistle Thrush (*Turdus viscivorus*), 539
Mitchella repens, 825
 Mitochondrial DNA, 355–356
 Mitochondrial DNA polymorphism, Chinook salmon, 882–884
 Mitochondrial DNA variation, in black rhinoceros, 495–499
 Models
 age-structured demographic, 810–819
 in detection of rare alleles, 267–269
 Moisture stress hypothesis, 81
 Moisture-temperature relations, amphibian declines and, 75–76
 Mole salamander (*Ambystoma talpoideum*), 61, 65, 67
Mollinedia killipii, 231
Molothrus ater (brown-headed cowbird), 22, 153, 286, 671
Molothrus bonariensis (Shiny Cowbird), 514
Monacha-lucida, 423
Monarda (warm-season forbs), 693
Monasa, 551
 MongOOSE (*Herpestes auropunctatus*), 1079
 Monitoring, 31
 Neotropical butterflies, 800–809
 Montagu's Harrier (*Circus pygargus*), 954
 Moose (*Alces alces*), 159, 455, 657
Morone saxatilis (striped bass), 903
Morone saxatilis (striped bass), 869
Morus rubra, 825
 Mosquitoes (*Culex pipiens*), 420
 Mosquitofish (*Gambusia affinis*), 44, 420
Motacilla flava (yellow wagtail), 537
 Mt. Graham red squirrel (*Tamiasciurus hudsonicus grabamensis*), 977–987
 Mountain goat (*Oreamnos americanus*), 898–900
 Mountain laurel (*Kalmia latifolia*), 1112
 Mountain lion (*Felis concolor*), 131
 Mountain plovers (*Baradrius montanus*), 678
 Mourning Doves (*Zenaidura macroura*), 671, 776
 Mule deer (*Odocoileus hemionus*), 657, 686
 Multiple-use planning, for forest resources, 452
Muscadinidae all species (Doormouse), 957
Muscivora tyrannus, 550
 Musk ox (*Ovibos moschatus*), 656
 Muskrat (*Ondatra zibethicus*), 899
 Muskrats (*Ondatra zibethicus*), 715
Mustela lutreola (European mink, stoat), 957
Mustela nigripes (black-footed ferrets), 116, 263–265, 679
Mustela nivalis (weasel), 957
 MVPD (minimal viable population density), 732–743
Mycobacterium, 655
Mycobacterium avium, 118
Myiopagis caniceps, 549
Myrmotherula obscura, 547
Myrmeciza atrotorax, 547
 Myrtle oak (*Quercus myrtifolia*), 1049
Mysis relicta, 954
 National Environmental Policy Act (NEPA), 365
 National Forest Management Act (NFMA), 365
 Natterjack toad (*Bufo calamita*), 61
 Natural alleles, stochastic sampling and, 41–42
 Natural selection
 quantitative genetic variation and, 42–43
 wildlife disease and, 657
 NAWMP (North American Waterfowl Management Plan), 333
Neinei (*Filicbia speciosa*), 1080
 Nematode (*Trichostrongylus tenuis*), 117
Neoseps reynoldsi, 1052, 1055
Neotoma lepida (desert woodrat), 648
Neotoma spp. (wood rats), 688
 Neotropical butterflies, monitoring, 800–809
 Neotropical countries
 biodiversity loss prediction, stochastic model for, 425–435
 deforestation estimates for, 432
 extinction predictions for, 432–433, 435
 extinction rates in, 433
 species distributions in, 430–432
 taxa distribution profiles for, 429
 NEPA (National Environmental Policy Act), 365
Nerodia barteri (Concho river snake), 983
 New Jersey, forest-nesting birds in, narrow corridors and, 1109–1119
 New Mexico
 avian species richness in, 1098–1106
 human-altered water sources, wildlife and, 682–689
 New Mexico olive (*Forestiera neomexicana*), 1100
 Newt (*Taricha rivularis*), 67
 New Zealand robins (*Petroica australis australis* and *P.a. longipes*), 860
 NFMA (National Forest Management Act), 365
 Niche, 656
 Night-blooming cereus (*Peniocereus striatus*), 461
Nolina beldingii, 1136
Nonnula brunnea, 548
 North American bullfrog (*Rana catesbeiana*), 75
 North American Waterfowl Management Plan (NAWMP), 333
 North Carolina, Roanoke River basin, vegetation in edge-to-interior gradients, 822–830
 Northern Blazing Star (*Liatris borealis*), 1095
 Northern brush-tailed possum (*Trichosurus vulpecula ambemensis*), 439
 Northern dingy fritillary (*Boloria improba*), 87, 89, 90, 91, 93
 Northern Goshawk (*Accipiter gentilis*), 366, 636
 Northern Oriole (*Icterus galbula*), 1102, 1142
 Northern Pintail (*Anas acuta*), 954
 Northern Shoveler (*Anas clypeata*), 954
 Northern Spotted Owl (*Strix occidentalis caurina*), 185–194, 983
 Norway rat (*Rattus norvegicus*), 1079

- Norway spruce (*Picea abies*), 451, 454, 536
 Norwegian spruce (*Picea abies*), 723
Notofagus, 511, 514
Notofagus dombeyi (coigue tree), 509, 513, 514
Numenius arquata (Eurasian Curlew), 954
Numenius phaeopus (whimbrel), 537
 Nurse plants, in *Peniocercus striatus* survival, 461–468
Nyctomys sumichrasti (rat), 789
Nymphicus hollandicus (Cockatiels), 118
Nyssa sylvatica (Black gum), 1112
- Ocelot (*Leopardus pardalis*), 964, 966
Odocoileus hemionus (mule deer), 657, 686
Odocoileus virginianus clavium (Florida Key deer), 984
Odocoileus virginianus (white-tailed deer), 160, 657
Oeceoclades maculata, 431
 Old-growth forest, integration with commodity use, 752–760
 Old-growth forests, 370
Olneya tesota (ironwood), 462, 463, 464, 467
 Olympic mountain goat controversy, 898–900
Oncorhynchus. See Pacific salmon (*Oncorhynchus*)
Oncorhynchus chrysogaster (Mexican golden trout), 866
Oncorhynchus kisutch (coho salmon), 887
Oncorhynchus mykiss (rainbow trout), 843, 881
Oncorhynchus, 869
Oncorhynchus clarki clarki (coastal cutthroat trout), 869
Oncorhynchus gorbuscha (pink salmon), 869
Oncorhynchus keta (chum salmon), 869
Oncorhynchus kisutch (coho salmon), 869
Oncorhynchus mykiss (rainbow trout), 869
Oncorhynchus tshawytscha (chinook salmon), 869
Ondatra zibethicus (muskrat), 715, 899
 One seed juniper (*Juniperus monosperma*), 684
Oporornis tolmiei (MacGillivray's), 1104
 Opossum (*Didelphis marsupialis*), 284
 Orange-crowned (*Vermivora celata*), 1104
 Orchard Orioles (*Icterus spurius*), 672
 Orchid taxa (*Dracula*), 430
 Orchid taxa (*Masdevallia*), 430
Orchis laxiflora, 952
Orchis pallens, 952
Orchis palustris, 952
Oreamnos americanus (mountain goat), 898–900
 Organizational change, 31
 Organ pipe (*Stenocereus thurberi*), 463, 467
 Ornate chorus frog (*Pseudacris ornata*), 61
Oryctolagus cuniculus (European rabbits), 657
Oryx gazella (oryx), 686
Oryx (*Oryx gazella*), 686
Oryzoborus angolensis, 547
Oryzomys spp. (rat), 789
Osmorhiza, 1074
Osmunda regalis, 952
Otonyctomys batti (rat), 789
Ototylomys phyllotis (rat), 789
 Outcrossing rate, in *Gentiana pneumonanthe* L., 1014–1024
Ovis moschatus (musk ox), 656
Ovis aries (soay sheep), 159
Ovis canadensis (bighorn sheep), 159, 656, 658–659
Ovis dalli (Dall sheep), 159
Oxalis dillenii, 825
Oxycocco-Sphagneta (raised peat bogs), 952
- effective population size and, 888–890
 extinction probabilities, 873–875
 interspecific hybridization and, 881–882
 recovery, genetic considerations for, 884–886
 restoration goals, 877–878
 supportive breeding and, 888–890
- Pacific treefrog (*Hyla regilla*), 67
Pallasea quadrispinosa, 954
Panax, 1074
Panicum Scribnerianum, 699
Panicum virgatum, 695, 698
Panthera leo (lion). See lion (*Panthera leo*)
Panthera leo persica (Asiatic lion), 501, 502
Panthera pardus (leopard), 964, 966, 968
 Papaveraceae (*Bocconia*), 974
Papilio garamas, 804
 Parasites
 genetic coevolution of, 656
 host specificity of, 656–657
 rates, of natural nests, 22
 susceptibility, of desert topminnow, 419–423
 Parasitoid insects (*Hymenoptera*), 725
Parelapthostomus, 656, 657
 Parnassian Apollo (*Parnassius apollo*), 954
Paroaria gularis, 551
 Parochialism, 1163–1165
Parthenocissus quinquefolia, 825
Parus caeruleus (Blue Tit), 538
Parus major (Great Tit), 538
Parus montanus (Willow Tit), 538
Parus (Titmice), 537
Pasianus colchicus, 954
Passer domesticus (House Sparrow), 537
Passerina amoena (Lazuli Buntings), 671
Passerina cyanea (Indigo Buntings), 151
 Passerine birds, rarity in North America, 1141–1144
Pasteurella, 413, 658, 659
 Peccary (*Tayassu tajacu*), 656
Pedicularis furbishiae, 273, 375
 Pedigree analysis, 746, 747, 749–750
Penicereus greggii, 466
Penicereus maculobis, 480
Peniocereus greggii, 462, 463
Peniocereus striatus (queen of the night), 461, 463, 464, 466, 467, 468
Peniocereus velutina, 464
Pentactetra maculobis, 472, 474–475, 476, 479, 480–481
Perameles gunnii (Bandicoots), 269
Perameles gunnii (Eastern barred bandicoot), 964
Perca fluviatilis (perch), 843
 Perch (*Perca fluviatilis*), 843
 Peregrine Falcon (*Falco peregrinus*), 538
Perisoreus infaustus (Siberian Jay), 538
Peromyscus, 688, 1059, 1061
Peromyscus boylii (brush mouse), 685, 788
Peromyscus leucopus (white-footed mouse), 53, 56, 345, 346, 348
Peromyscus maniculatus (deer mouse), 346, 578, 688
Peromyscus mexicanus (rat), 789
 Persistence, probability of, 370–371
 Peru, mestizo people, forest type usefulness for, 225–248
 Pesticides, for tick management, 348
Petalostylis labicheoides (dicot), 446
Petroica australis australis (New Zealand Robins), 860
Petroica australis longipes (New Zealand Robins), 860
Petroica lobatus (Red-necked Phalarope), 860
Petroica traversi (Chatham Island Black Robin), 857–861
Phacelia dubia, 1074
Phalaropus tricolor (Wilson's Phalarope), 860
Pharomacrus antisianus (Quetzal), 143
Pharomacrus auriceps (Quetzal), 143
Phasianus colchicus (Ringed-neck Pheasants), 147, 151
 Phenetic approaches, to delimit conservation units, 355–356
 Phenotypic alterations, in rhino conservation, 833–838
Pheucticus melanocephalus (Black-headed Grosbeaks), 671
Philomachus pugnax (Ruff), 954
- Pachycereus pringlei*, 462, 463
 Pacific lamprey (*Lampetra tridentata*), 869
 Pacific salmon (*Oncorhynchus*), 863–864, 863–869, 884
 captive breeding and, 886–888
 conservation, life history variation and, 879–880

- Phoenicurus phoenicurus* (Redstart), 536
Phrygilus, 514
Phylloscopus trochilus (Willow Warbler), 541
 Phylogenetic species concept, 356, 357
Phytotoma rara, 509
Pica pica (Magpie), 22
Picea abies (Norway spruce), 451, 454, 536, 723
Picea engelmannii (Engelmann spruce), 979
Picoides borealis (Red-cockaded Woodpecker), 1099
Picoides tridactylus (Three-toed woodpecker), 538
Picumnius, 547
Picumnius exilis, 549
Picumnius pumilus, 549
 Pied Flycatcher (*Ficedula hypoleuca*), 537
Pieris oleracea (butterfly), 55
 Pigs (*Sus scrofa*), 1079
 Pig-tailed macaques (*Macaca nemestrina*), 341
 Pike (*Esox lucius*), 843
 Pine (*Pinus lagunae*), 1133, 1135, 1136, 1137, 1139
 Pink salmon (*Oncorhynchus gorbuscha*), 869
Pinus clausa (sand pine), 1048
Pinus contorta (lodgepole pine), 24
Pinus edulis (pinyon-juniper dominated by pinyon pine), 684
Pinus lagunae (pine), 1133–1139
Pinus longaeva, 1021
Pinus mugo, 951, 952
Pinus palustris (longleaf pine), 27, 1049
Pinus rigida (pitch pine), 1112
Pinus strobus (white pine), 754
Pinus sylvestris (Scots pine), 451, 454, 536, 723
Pinus virginiana (Virginia pine), 1112
 Pinyon-juniper dominated by pinyon pine (*Pinus edulis*), 684
Pipilo erythrophthalmus (Rufous-sided Towhee), 1102
Pipra erythrocephala, 549
Piranga rubra (Summer Tanager), 1103
 Pitch pine (*Pinus rigida*), 1112
Pithecia pithecia (black-and-white saki monkey), 1029
Pithys albifrons, 548, 549
Pithys albifrons (obligate ant-following birds), 1029
Pityrogramma (Pteridaceae), 974
 Plant demography, commercial forest usage and, 298–299
 Plants, extinctions, in Singapore, 705–711
 Plants livestock grazing and, 631–633
Plasmodium kempfi, 117
Platanus occidentalis, 1072
Plethodon cinereus (red-backed salamander), 61, 64, 65, 67
Plethodon glutinosus (slimy salamander), 61, 64
Plethodon jordani (red-checked salamander), 61, 64, 300, 301, 304
Plethodon shenandoah (Shenandoah salamander), 61, 64, 65
Plistophora myotrophica (microsporidian protozoan), 82
Pluchea sericea (arrowweed), 1104
 Poaceae (*Chusquea*), 974
Poa pratensis, 695
Poa sieberiana, 1004
Podocarpus, 509
Poecilia reticulata, 423
Poecilia reticulata (common guppy), 420
Poeciliopsis, 423
Poeciliopsis (Cyprinodontiformes: Poeciliidae), 420
Poeciliopsis lucida, 420, 422, 423
Poeciliopsis monacha, 420, 422, 423
Poeciliopsis occidentalis (topminnow), 420, 423
 Poison dart frog (*Dendrobates pumilio*), 67
 Poland, pollution, habitat destruction and biodiversity in, 943–957
 Policymakers, ecosystem management and, 33
 Polish flora (*Trapa natans*), 952
 Pollution
 free trade and, 993–994
 in Poland, 943–949
Polyborus plancus cheriway (Crested Caracara), 284
 Polymorphisms, single-locus, 96–103
 Polyomaviruses, 118
Polyplocaria aurescens, 549
Pomarea dimidiata (Kakerori), 1078–1085, 1079
Pomarea dimidiata (Rarotonga Flycatcher), 1078, 1079
Pomarea (Flycatchers), 1083, 1084
Pontoporeia affinis, 954
Pooecetes gramineus (Vesper), 1103
 Pool frog (*Rana lessonae*), 843
 Population bottlenecks, 96–97
 Population crisis, focused agenda for, 305–313
 Population differentiation, in *Pentaclethra macroloba*, 471–481
 Population extinction, 374–375
 Population sinks, 376
 Population viability analysis (PVA), 364–371, 985
 for Puerto Rican Parrots, 114–121
Populus, 1010
Populus fremontii (cottonwood), 633, 1100
Populus fremontii (Rio Grande cottonwood), 1100
Populus tremula (aspen), 455
Populus tremuloides-Betula papyrifera (aspen-birch), 754
 Porcupine (*Erethizon dorsatum*), 899
 Possum (*Trichosurus vulpecula*), 439, 440, 446
 Prairie dog (*Cynomys*), 263, 677–680
 Prairies. See Grasslands
 Prairie voles (*Microtus ochrogaster*), 578
 Predation
 of avian nests, edge effects of, 17–25
 of impala, natural vs. human, 158–164
 of nests, habitat fragmentation and, 153–154
Prenanthes sp., 825
Prestoea montana, 1123
 Primates, habitat use correlates, 106–112
Primula vulgaris, 405
Procolobus badius (Western red colobus), 108–112
Procyon lotor (Raccoon), 284
 Professionalism, tenure system and, 9–11
 Pronghorn antelope (*Antilocapra americana*), 656, 678
 Pronghorn (*Antilocapra americana*), 636, 686
Prosopis, 467
Prosopis glandulosa, 463
Prosopis glandulosa (honey mesquite), 684
Prosopis pubescens (Screwbean mesquite), 1100
Prosopis velutina (mesquite), 462
 Protected areas. See Reserves
Protostrongylus rushi, 657, 659
Protostrongylus stilesi, 657, 659
Prunus pensylvanica, 296
Prunus serotina, 825, 953
Psarocolius angustifrons, 143
Pseudacris ornata (ornate chorus frog), 61
Pseudattila phoenicurus, 548
Pseudomonas aeruginosa, 82
Pseudotsuga menziesii (Douglas-fir), 986
 Pteridaceae (*Pityrogramma*), 974
 Pteridium (*Dennstaedtiaceae*), 974
Pteromalus puparum, 954
Pteroptochus, 512, 514, 515
Pteroptochus tarnii, 510
Ptilimnium fluviatile (Rose), 271–275
Ptilimnium nodosum (Rose), 271–275
Ptilimnium viviparum (Rose), 271–275
 Puerto Rican Parrot (*Amazona vittata*), 114, 119–121
 Puerto Rico, Luquillo Mountains, primary forest preservation in, 1122–1150
 Puma (*Felis concolor*), 1154
Pungitius pungitius (ten-spined stickleback), 842
 Pupae (*Fagraea berteriana*), 1080
 Puritan tiger beetle (*Cicindela puritana*), 354, 358–361
 PVA (population viability analysis), 364–371
Pyronia tithonus, 376
 Quail (*Coturnix coturnix*), 18–19
 Quarantine, 116–117
 Queen of the night (*Peniocereus striatus*), 462
Quercus, 953, 1073
Quercus alba (white oak), 824, 1073, 1112

- Quercus chapmanii* (Chapman's oak), 1049
Quercus (Deciduous oaks), 287
Quercus devia, 1135, 1136
Quercus geminata (Sand live oak), 1049
Quercus myrtifolia (Myrtle oak), 1049
Quercus prinus, 1073
Quercus robur, 727
Quercus rubra, 953, 1073
Quercus tuberculata, 1135
Quercus velutina (Black oak), 1112
 Quetzal (*Pharomacrus antisianus*) (*Pharomacrus auriceps*), 143
- Raccoon (*Procyon lotor*), 284
 Rainbow trout (*Oncorhynchus mykiss*), 843, 881
 Rainbow trout (steelhead) (*Oncorhynchus mykiss*), 869
 Rain forests, south-temperate fragmented, avian communities of, 508–520
 Raised peat bogs (*Oxyccoco-Sphagneta*), 952
 Ramphastidae (Toucans), 144
Ramphastos swainsonii, 143, 144
Rana aurora (Red-legged frog), 64
Rana cascadae (Cascades frog), 64, 67
Rana catesbeiana (North American bullfrog), 75
Rana esculenta (tadpole), 843
Rana lessonae (pool frog), 843
Rana muscosa (Yellow-legged frog), 66
Rana pipiens (Leopard frog), 61, 64, 82
Rana pretiosa (Spotted frog), 64, 984
Rana sylvatica (Wood frog), 6164
Rana temporaria (tadpoles), 842, 843
Randia megacarpa, 1135
 Range
 increases in, 376
 species introductions outside of, 375–376
 Rangeland conservation, 613–616
Rangifer tarandus (caribou), 159, 648
Rangifer tarandus (reindeer), 160
Rangifer tarandus (woodland caribou), 657
 Rare alleles, detection of, 267–269
 Rarotonga Flycatcher (*Pomarea dimidiata*), 1078–1085
 Rats (*Rattus rattus*), 440, 571, 1078, 1079
Rattus norvegicus (Norway rat), 1079
 Raven (*Corvus corax*), 540
 Red-backed salamander (*Plethodon cinereus*), 61
 Red-billed Oxpeckers (*Bupagus erythrorhynchus*), 342
 Red-breasted Flycatcher (*Ficedula parva*), 537
 Red-cheeked salamander (*Plethodon jordani*), 61, 64, 300, 301, 304
 Red-cockaded Woodpecker (*Picoides borealis*), 1099
 Red-collared Lorikeets (*Trichoglossus haematodus rubritorquus*), 116
 Red-crested bare-faced tamarin (*Saguinus geoffroyi*), 101
 Red deer (*Cervus elaphus*), 159
 Red-eyed leaf frog (*Agalychnis callidryas*), 81
 Red flour beetle (*Tribolium castaneum*), 563
 Red fox (*Vulpes vulpes*), 56, 346
 Red grouse (*Lagopus scoticus*), 117
 Red howler monkey (*Alouatta seniculus*), 1028
 Red-legged frog (*Rana aurora*), 64
 Red maple (*Acer rubrum*), 824, 1112
 Red-necked phalarope (*P. lobatus*), 860
 Redpoll (*Carduelis flammea*), 537
 Red-ruffed lemur (*Varecia variegata rubra*), 395
 Red spotted toad (*Bufo punctatus*), 685
 Red squirrel (*Sciurus vulgaris*), 53
 Red squirrel (*Tamiasciurus hudsonicus*), 18
 Redstart (*Phoenicurus phoenicurus*), 536
 Red-winged Blackbird (*Agelaius phoeniceus*), 150, 151, 153, 282, 860
 Regional planning, for Mexico, 384
Regulus calendula (Ruby-crowned Kinglet), 1103
 Reindeer (*Rangifer tarandus*), 160, 648
 Reintroduction, long-term population development and, 713–717
Reithrodontomys megalotis (western harvest mouse), 685
 Relative reserve coverage (RRC), 1039–1043
 Reproduction
 isolation, 355
 landscape characteristics and, 153–154
 poor, of small captive populations, 118–119
 success of loggerhead shrikes, fencelines and, 281–284
 Reptiles, wildfire effects on, 1047–1055
 Reserve planning
 ad hoc approaches, 662–666
 biological analysis and, 218–223
 design for territorial species, 185–194
 environmental domain analysis for, 217–222
 Reserves
 economic alternatives in, 391
 economic alternatives outside of, 391
 indigenous, in Amazonian rain forest, 586–588
 for land birds of Southern Finland, 532–541, 543–544
 representativeness in, 541
 selection, species turnover and, 398–409
 species assemblage in, 541
 subdivision of land classes in, 1037–1043
Rheobatrachus silus (Gastric brooding frog), 63
Rhododendron, 1073
Rhododendron maximum, 296
Rhus trilobata (squawbush), 1100
 Ringed-necked Pheasants (*Phasianus colchicus*), 147, 151
 Rio Grande cottonwood (*Populus fremontii*), 1100
 Rio Grande cottonwood (*Wislizeni*), 1100
 Rio San Juan, 383
 Riparian zones
 avian species richness in, 1098–1106
 livestock grazing and, 635–636
 vegetation conservation, avian diversity and, 669–673
 Risk management, 985–987
 River lamprey (*Lampetra ayersi*), 869
 River turtle (*Dermatemys mawii*), 338
 Roach (*Rutilus rutilus*), 843
 Roads, environmental degradation of tropical montane forests and, 972–975
 Robber flies (*Asilidae*), 688
Rosalia alpina (Longicorn rosaria), 954
Rosa multiflora, 828
 Rose (*Ptilimnium*), 271–275
 RRC (relative reserve coverage), 1039–1043
Rubus, 297
Rubus allegheniensis, 825
Rubus chamaemorus, 952
 Ruby-crowned Kinglet (*Regulus calendula*), 1103
Rudbeckia hirta, 695, 699
 Rudd (*Scardinius erythrophthalmus*), 843
 Ruff (*Philomachus pugnax*), 537, 954
 Rufous Hummingbirds (*Selasphorus rufus*), 483–488
 Rufous-sided Towhee (*Pipilo erythrophthalmus*), 1102
Rupicapra rupicapra (Chamois), 957
 Russian-olive (*Elaeagnus angustifolia*), 1100
 Russian thistle (*Salsola species*), 813
 Rustic Bunting (*Emberiza rustica*), 537
Rutilus rutilus (roach), 843
- Sabal etonia*, 1049
 Saddle-back tamarins (*Saguinus fuscicollis*), 101
Saguinus midas, 111
Saguinus fuscicollis (saddle-back tamarins), 101
Saguinus geoffroyi (red-crested bare-faced tamarin), 101
Saguinus mystax (Spix' moustached tamarins), 101
Saguinus oedipus (cotton-top tamarins), genetic variation in, 95–103
Saimiri (sloth), 789
 Salamander (*Desmognathus*), 67, 300–304
Salix exigua (coyote willow), 1100
Salix gooddingii (goodding willow), 1100
Salix nivalis (snow willow), 87
Salix-Populus trichocarpa (willow-black cottonwood), 634
Salmonella pullorum, 117
Salmonella typhimurium, 116

- Salmo salar* (Atlantic salmon), 881
Salmo (trout), 865
Salmo trutta (brown trout), 843, 881
Salsola species (Russian thistle), 813
Saltator maximus, 547, 549
Salt cedar (*Tamarix chinensis*), 1100
Salvia pratensis, 1011
Sambucus nigra, 402, 405
Sandhill cranes (*Grus canadensis*), 116
Sand live oak (*Quercus geminata*), 1049
Sand pine (*Pinus clausa*), 1048
Sanicula gregaria, 825, 826
Saprophagous insects (Scarabidae), 1029
Saxifraga hirculus, 952
Scabiosa columbaria, 1011
Scaled quail (*Callipepla gambelii*), 686
Scaphiopus (spadefoot toad), 75
Scarabidae (Saprophagous), 1029
Scardinius erythrophthalmus (rudd), 843
Sceloporus occidentalis (Western fence lizard), 345
Sceloporus woodi, 1051, 1052, 1053, 1055
Scelorchilus rubecula, 510, 512
Scheuchzeria-Caricetea fuscae (Turf peat bogs), 952
Schizachyrium, 1088
Schizachyrium scoparium, 698
Schoenus nigricans, 952
Scientific collecting, 314–315
Scientific investigations
 hypothetico-deduction in, 596
 induction in, 596
Scientific method, 596–597
Scientists, ecosystem management and, 32–33
Scincella lateralis, 1051, 1052
Scirpo-Phragmitetum, 952
Sciurus vulgaris (red squirrel), 53
Sciurus niger (fox squirrel), 286
Scots pine (*Pinus sylvestris*), 451, 454, 536, 723
Screwbean mesquite (*Prosopis pubescens*), 1100
Scrub Jay (*Apelocoma coerulescens*), 286
Seasonal spread, colonizations and, 376
Sedge Wrens (*Cistothorus platensis*), 151
Seed banking, for ex situ conservation of wild plant species, 39–47
Seed banks, genetics of, 41–44
Seed (*Dipterix*), 790
Sceppwillow (*Baccharis glutinosa*), 1100
Selasphorus rufus (Rufous Hummingbirds), 484
Selective logging
 density of birds and, 557–558
 inbreeding of *Shorea megistophylla* and, 997–1001
Selenidera reinwardtii, 548
Semiarid regions, human-altered water sources, wildlife and, 682–689
Semidomestic caribou (reindeer), 648
Semipalmated sandpiper (*Calidris pusilla*), 860
Semnorhis rampbastinus (Toucan barbets), 142
Senita cactus (*Lophocereus schottii*), 463
Sensu stricto, 993
Sephanoides, 512–515
Sephanoides galeritus, 511, 512
Serenia repens, 1049
Shenandoah salamander (*Plethodon shenadoah*), 61
Shiny Cowbird (*Molothrus bonariensis*), 514
Ship rats (*Rattus rattus*), 1078, 1079
Shorea, 998, 999, 1001
Shorea megistophylla, 997–1001
Shorea trapezifolia, 480
Shorebirds, Western hemisphere, 333
Short-eared Owl (*Asio flammeus*), 954
Short-grass skipper (*Hesperia comma*), 375
Short-toed Eagle (*Circus gallicus*), 954
Siberian Jay (*Perisoreus infaustus*), 538
Sigmodon hispidus (cotton rats), 578
Silphium (sunflowers), 693
Silvery minnow (*Hybognathus amarus*), 941
Simmondsia chinensis, 463, 464
Simulation models. See Geographic information system (GIS); Modeling
 for corridors and contagious disease, 256–261
 Dynamic Ecological-Land Use Tenure Analysis (DELTA), 1030–1034
 of land management in Brazilian Amazon, 196–206
Singapore, plant species extinctions in, 705–711
Sitta europaea (European nuthatch), 53
Skipper butterfly (*Thymelicus acteon*), 375
Skunk (*Mephitis mephitis*), 18
Slimy salamander (*Plethodon glutinosus*), 61
Sloth (*Cebus*), 789
Sloth (*Saimiri*), 789
Smilacina, 1074, 1075
Smilax, 825
Snakes (*Dromicus*), 571
Snow willow (*Salix nivalis*), 87
Soay sheep (*Ovis aries*), 159
Soil, drought-induced cracks, as refuge for small mammals, 577–579
Solidago, 296
Solidago Aster, 297
Solidago canadensis, 695
Solidago (goldenrod), 578
Solidago (sunflowers), 693
Sooty mangabey (*Cercopithecus atys*), 108–112
Sorbus aucuparia, 953
Sorghastrum nutans, 693, 695
Spadefoot toad (*Scaphiopus*), 75
Spathodea campanulata P. Beauv., 709
Species assemblage, in nature reserves, 541
Species diversity, in tallgrass prairie, 691–700
Species extinction, causes, 374
Species introductions, outside of range, 375–376
Species richness, prediction, with habitat and disturbance variables, 521–529
Species turnover, reserve selection and, 398–409
Spermophilus, 688
Sphingid moth (*Hyles lineata*), 466
Sphingid moth (*Manduca quincemaculata*), 466
Spinifex longifolius, 442
Spiranthes diluvialis, 896
Spiranthes sinense, 431
Sprinchus thaleichthys (longfin smelt), 869
Spirochete (*Borrelia burgdorferi*), 344
Spix' moustached tamarins (*Saguinus mystax*), 101
Spiza americana (Dickcissel), 151
Sptzella passerina (Chipping), 1102
Spizella pusilla (Field Sparrow), 22
Spotted frog (*Rana pretiosa*), 64, 984
Spotted hyaena (*Crocutta crocutta*), 158–159
Spotted salamander (*Ambystoma maculatum*), 61
Spotted Sandpiper (*Actitis macularia*), 860
Spruce-fir (*Picea glauca-Abies balsamea*), 754
Squawbush (*Rhus trilobata*), 1100
Sri Lanka, selective logging effects on inbreeding of *Shorea megistophylla*, 997–1001
Stag beetle (*Lucanus cervus*), 954
Statistical significance, of meta-analysis, 559
Stellaria media, 826
Stenocercus thurberi (organ pipe), 463, 467
Stephan's kangaroo rat (*Dipodomys stephensi*), 810–819
Stenotherus depressus (Alabama flattened musk turtle), 983
Stipa, 696–697
Stoat (*Mustela lutreola*), 957
Stochastic extinction, 374–375
Stochasticity, extinction time prediction and, 124–137
Stochastic model, for biodiversity loss prediction, 425–435
Stochastic sampling, natural alleles and, 41–42
Stochastic variation, 373–375
Stock concept, 355
Stock Dove (*Columba oenas*), 537
Stopover habitat quality, 483–488
Strigops habroptilus (Kakapo), 269
Striped bass (*Morone saxatilis*), 869, 903
Striped skunks (*Mephitis mephitis*), 284
Striped whiptail (*Cnemidophorus inornatus*), 685
Strix occidentalis caurina (Northern Spotted Owl), 185–194, 983

- Strix varia* (Barred Owl), 284
 Surgeon (*Acipenser stellatus*), 420
Sturnus vulgaris (European Starlings), 671
Stylobasium spatulatum (dicot), 446
 Subalpine fir (*Abies lasiocarpa*), 979
 Subdivisions
 of land classes in reserves, 1037–1043
 vs. agriculture, 905–907
 Succession, disturbance and, 375
 Sugar maple (*Acer saccharum*), 754
 Summer Tanager (*Piranga rubra*), 1103
 Sunflowers *Aster*, 693
 Sunflowers (*Helianthus*), 693
 Sunflowers (*Silphium*), 693
 Sunflowers (*Solidago*), 693
 Surrogate species, 1165
 Survivorship estimation, 183
 Susquehanna River gorge and floodplain, vernal forest-floor herbs and, 1069–1076
Sus scrofa (Pigs), 1079
 Sustainable development, 1146–1148
 Sustainable forestry, biodiversity and, 450
 Sustainable use
 of tropical rain forest, 545–554
 of ungulates, 157–164
 Sustainable use management, of tegu lizards, 12–14
 Sweat bees (*Halictidae*), 688
 Sweden
 reintroduced beaver population, long-term development, 713–717
 threatened species in, 718–729
 Sweetgum (*Liquidambar styraciflua*), 824, 1112
 Sweet pepperbush (*Clethra alnifolia*), 1112
Suietenia macrophylla, 235
 Swift foxes (*Vulpes velox*), 678
 Sylvatic plague (*Yersinia pestis*), 678
Sylvilagus sp. (cottontail rabbit), 899

Tabanus, 657
Tabebuia rigida, 1123, 1127
Tachycineta, 515
 Tadpole (*Bufo*), 843
 Tadpole (*Rana*), 843
 Tadpole (*Rana esculenta*), 843
 Tadpoles (*Rana temporaria*), 842
 Tailed frog (*Ascaphus truei*), 66
 Tamarisk (*Tamarix*), 633
Tamarix chinensis (salt cedar), 1100
Tamarix (tamarisk), 633
Tamiasciurus douglassi, 984
Tamiasciurus hudsonicus grabamensis (Mt. Graham red Squirrel), 977–987
Tamiasciurus nearcticus, 984
Tamiasciurus hudsonicus (Red squirrel), 18
Tamias striatus (chipmunk), 52
Tanaccium jarrovi SW, 709
Tangara callophrys, 548
Tantilla relicta, 1051, 1052, 1055
 Tanzania, human-wildlife conflict in, 249–254
 Target species, 393
Taricha rivularis (Newt), 67
 Tasmania, environmental domain analysis of, 217–222
Taxus baccata (yew), 951
Tayassu tajacu (peccary), 656
 Teak (*Tectona grandis*), 502
 Technological fundamentalism, 335–337
Tectona grandis (teak), 502
 Tegu lizards (*Tupinambis*), 12–14
 sustainable use of, 12–14
 Temperature stress hypothesis, 81
 Tench (*Tinca tinca*), 843
 Ten-spined stickleback (*Pungitius pungitius*), 842
 Tenure system, professionalism and, 9–11
Tetrao urogallus (Capercaillie), 19

Tbaleichthys pacificus (eulachon), 869
Tbamnophilus murinus, 547
Tbamnophilus elegans vagrans (garter snake), 634
Tbameda triandra, 1004
 Threatened species, in Sweden, 718–729
 Three-toed sloth (*Bradypus variegatus*), 1029
 Three-toed Woodpecker (*Picoides tridactylus*), 538
Tbryomanes bewickii (Bewick's Wren), 1103
Tbryothorus coraya, 547
Tbunbergia grandiflora, 709
Tbymelicus acteon (skipper butterfly), 375
Tibouchina (Melastomataceae), 974
 Tick (*Ixodes ricinus*), 344
 Ticks
 Lyme disease and, 344–345
 management measures for, 346–348
 Tidewater silversides (*Menidia beryllina*), 382
 Tiger salamander (*Ambystoma tigrinum*), 61
 Timber harvesting, salamanders and, 300–304
 Timber trade, 992–993
Tinca tinca (tench), 843
Tipularia discolor, 825
 Titmice (*Parus*), 537
 Tiwai Island, West Africa, primate habitat use correlates in, 106–112
Tofieldia calyculata, 952
 Topminnow (*Poeciliopsis occidentalis*), 423
 Tortuguero National Park, Costa Rica, 594
 Toucan barbets (*Semnornis ramphastinus*), 142
 Toucans (*Ramphastidae*), 144
Toxicodendron radicans, 825
Tragopogon dubius Scop., 896
Tragopogon mirus, 895–896
Tragopogon miscellus, 895–896
Tragopogon porrifolius L., 896
Tragopogon pratensis L., 896
 Traits
 evolutionary significant units and, 357
 genetic correlations, 43
Trapa natans (Polish flora), 952
 Treecreeper (*Certhia familiaris*), 537
 Tree (*Dipteryx panamensis*), 790
 Tree frog (*Hyla arborea*), 841–844
Tribolium castaneum, 565, 566
Tribolium castaneum (red flour beetle), 563
Trichinella pseudospiralis, 117
Trichodesma zeylanicum, 446
Trichoglossus haematomus rubritorquis (Red-collared lorikeets), 116
Trichostrongylus tenuis (Nematode), 117
Trichosurus vulpecula (possum), 439, 440, 446
Trillium, 297, 1070, 1076
Trillium flexipes, 1073, 1074, 1075, 1076
Trillium grandiflorum, 296
Tringa glareola (Wood Sandpiper), 537
Tringa nebularia (greenshank), 537
Triodia, 446
Triodia angusta, 442
Triodia pungens, 442
Triodia wiseana, 442
Troglodytes, 514
Troglodytes aedon, 512, 547
 Tropical cedars (*Cedrela*), 974
 Tropical frog (*Chiastrocelys shubikarensis*), 1029, 1030, 1031, 1032
 Tropical rain forest
 avifauna in shifting-cultivation habitat mosaic of, 545–554
 sustainable use of, 545–554
Tropidurus albemarlensis, 570
Tropidurus bavittatus, 570
Tropidurus delanonis, 570
Tropidurus (lava lizards), 569–570, 571–572
 Trout (*Salmo*), 865
 Trout (*Salmo trutta*), 843
 Tsetse fly (*Glossina*), 604
Tsuga canadensis, 1073
Tsuga canadensis (Eastern hemlock), 752, 753

- Tupinambis* lizards, sustainable use of, 12–14
Turdus, 512, 513, 515
Turdus falcklandii, 512
Turdus migratorius (American Robin), 672
Turdus pilaris (fieldfare), 537
Turdus viscivorus (mistle thrush), 539
 Turf peat bogs (*Scheuchzeria-Caricetea fuscae*), 952
 Turina (*Hernandia moerenhoutiana*), 1080
 Turnover-prone peripheral patches, 376
Tympanuchus cupido (Greater Prairie Chicken), 150
Tyrannulus elatus, 549
- Ulmus americana*, 1072
 Umbrella species, 1164
 Uncompahgre fritillary (*Boloria acrocnema*), pending extinction of, 86–93, 1156–1160
 Underwater parks, for Lake Tanganyika, 330–332
 Ungulates, sustainable use of, 157–164
 United Kingdom, Ingleborough limestone pavements, species turnover in, 398–409
 United States National Forests
 mountain lions in, 131
 wolves in, 131–132
 United States National Parks, wildlife disease in, 654–659
Urocyon cinereoargenteus (gray fox), 346
Ursus americanus luteolus (Louisiana black bear), 984
Ursus arctos (brown bear), 957
Ursus arctos (grizzly bear), 28, 130–131, 899
Ursus maritimus, 1153
Urtica incisa Poir., 525
Uvulifer, 423
Uvulifer (trematode), 423
- Vaccinium corymbosum* (Highbush blueberry), 1112
Vaccinium, 1073
Vaccinium angustifolium (lowbush blueberry), 1088
Vaccinium vacillans (lowbush blueberry), 1112
 Values, environmental, 31
 reframing, 34
Varecia variegata rubra (red-ruffed lemur), 395
 Vector tick (*Ixodes scapularis*), 344
 Vegetation mosaic hypothesis, test of, 439–447
Verbesina pustulata, 1136
Vermivora celata (Orange-crowned MacGillivray's Warbler), 1103
 Vertebrate populations, livestock grazing and, 631–632
 Vertebrate species, Lyme disease influence on, 345–346
Vesper (*Poocetes gramineus*), 1103
Viguiera deltoidea, 1136
Viola papilionacea, 1074
Viola pennsylvanica, 1075
Vireo bellii pusillus (Least Bell's Vireo), 1099
 Virginia pine (*Pinus virginiana*), 1112
Volatinia jacarina, 550
Vulpes velox (swift foxes), 678
Vulpes vulpes (red fox), 56, 346
- Wapiti (*Cervus elaphus*), 657
 Wariness, 570–572
 Water
 in Mexico, 379–383
 in Northern Mexico, 381–382
 Water sources, human-altered, wildlife and, 682–689
 Waxwing (*Bombicilla garrulus*), 537
 Weasel (*Mustela nivalis*), 957
Weinmannia (coigue), 509
 Western black-and-white colobus (*Colobus polykomos*), 108–112
 Western fence lizard (*Sceloporus occidentalis*), 345
 Western harvest mouse (*Reithrodontomys megalotis*), 685
 Western Hemisphere Shorebird Reserve Network (WHSRN), 333
 Western red colobus (*Procolobus badius*), 108–112
 Wheatgrass (*Agropyron cristatum*), 636
 Whimbrel (*Numenius phaeopus*), 537
 White-backed Woodpecker (*Dendrocopos leucotos*), 540
 White-backed woodpecker (*Dendrocopos leucotos*), 728
 White box (*Eucalyptus albens*), 1003
 White-crowned Pigeon (*Columba leucocephala*), 770–777
 White-crowned Sparrow (*Zonotrichia leucophrys*), 860, 1102
 White-footed mouse (*Peromyscus leucopus*), 345, 346, 348
 White ibises (*Eudocimus albus*), 860
 White oak (*Quercus alba*), 824, 1112
 White pine (*Pinus strobus*), 754
 White rhino (*Ceratotherium simum*), 581–584, 833–838
 White sands pupfish (*Cyprinodon tularosa*), 689
 White sturgeon (*Acipenser transmontanus*), 869
 White-tailed deer (*Odocoileus virginianus*), 160, 657
 White-winged Black Tern (*Chlidonias leucopterus*), 954
 Whooping Cranes (*Grus americana*), 116
 Whopper Swan (*Cygnus cygnus*), 954
 WHSRN (Western Hemisphere Shorebird Reserve Network), 333
 Wild animals, as brucellosis hosts, 647–648
 Wildcat (*Felis silvestris*), 957
 Wild desert tortoises (*Xerobates agassizii*), 117
 Wildlife control, human-wildlife conflict and, 249–254
 Wild ox (*Bos primigenius*), 954
 Wild plant species, ex situ conservation, seed banking for, 39–47
 Wild tapeti (*Sylvilagus brasiliensis*), 657–658
 Wild turkeys (*Meleagris gallopavo*), 117
 Willow-black cottonwood (*Salix-Populus trichocarpa*), 634
 Willow Tit (*Parus montanus*), 538
 Willow Warbler (*Phylloscopus trochilus*), 541
Wilsonia pusilla (Wilson's), 1104
 Wilson's phalarope (*Phalaropus tricolor*), 860
 Wilson's Warbler (*Wilsonia pusilla*), 1103
 Wiregrass (*Aristida stricta*), 581–584, 1049
Wislizeni (Rio Grande cottonwood), 1100
 Wolfberry (*Lycium*), 1100
 Wood frog (*Rana sylvatica*), 61, 64
 Woodland caribou (*Rangifer tarandus*), 657
 Woodpigeon (*Columba palumbus*), 537
 Wood rats (*Neotoma* spp.), 688
 Wood Sandpiper (*Tringa glareola*), 537
 Wryneck *Jynx torquilla* (hole-nesters), 537
- Xerobates agassizii* (wild desert tortoises), 117
Xiporhynchus ocellatus, 549
- Yellowstone National Park, bovine brucellosis in, 658
 Yellow-billed Cuckoo (*Coccyzus americanus*), 1113
 Yellow birch (*Betula alleghaniensis*), 754
 Yellow-breasted Chat (*Icteria virens*), 1103
 Yellow-legged frog (*Rana muscosa*), 66
 Yellow rat snake (*Elaphe obsoleta*), 284
 Yellowstone National Park
 grizzly bear populations in, 130–131
 origin of brucellosis in bison, 645, 649–650
 Yellow Wagtail (*Motacilla flava*), 537
Yersinia pestis (sylvatic plague), 678
 Yew (*Taxus baccata*), 951
 Yosemite toad (*Bufo canorus*), 61
- Zeiraphera griseana* (larch bud moth), 953
Zenaida macroura (Mourning Doves), 671, 776
Zonotrichia capensis, 512
Zonotrichia leucophrys (White-crowned Sparrow), 860, 1102

Author Index, Volume 8, 1994

- Aguirre, A., Letter to the Editor, 7
- Aguirre, A.A., Starkey, E.E., Wildlife Disease in U.S. National Parks: Historical and Coevolutionary Perspectives, 654-661
- Åhlander, F.W. See Utter, F.M.
- Altieri, M.A., Genes, Crops, and the Environment (book review), 610-611
- Alvarez-López, H. See Kattan, G.H.
- Andersen, M. See Koopowitz, H.
- Anderson, E.N., Letter to the Editor, 620-621
- Anderson, S. See Adern, S.L.
- Andrade, G.I., Rubio-Torgler, H., Sustainable Use of the Tropical Rain Forest: Evidence from the Avifauna in a Shifting-Cultivation Habitat Mosaic in the Colombian Amazon, 545-554
- Angermeier, P.L., Diversity, 600-602
- Adern, S.L., McLean, I.G., Anderson, S., Maloney, R., Lambert, D.M., The Effects of Blood Sampling on the Behavior and Survival of the Endangered Chatham Island Black Robin (*Petroica traversi*), 857-862
- Arft, A.M. See Ranker, T.A.
- Armesto, J.J. See Willson, M.F.
- Arriaga, L., Diaz, S., Mercado, C., Conservation or Commercial Management of Temperate Forests of Baja California Sur, Mexico, 1132-1140
- Arvigo, R. See Balick, M.J.
- Ash, A.N., Bruce, R.C., Impacts of Timber Harvesting on Salamanders, 300-301
- Avise, J.C., The Real Message from Biosphere 2 (editorial), 327-329
- Baker, W.L., Restoration of Landscape Structure Altered by Fire Suppression, 763-769
- Balick, M.J., Arvigo, R., Romero, L., Diversity, 316-317
- Ballou, J.D. See Russell, W.C.
- Balstad, T. See Hindar, K.
- Bancroft, G.T. See Strong, A.M.
- Bawa, K.S. See Hall, P.; Murawski, D.A.
- Bean, M. See Murphy, D.
- Belfiore, N. See Cheverud, J.
- Berg, A., Ehnström, B., Gustafsson, L., Hallingbäck, T., Jonsell, M., Weslien, J., Threatened Plant, Animal, and Fungus Species in Swedish Forests: Distribution and Habitat Associations, 718-731
- Berger, J., Cunningham, C.
The Certainty of Data and Dehorning Black Rhinos, 1149-1152
Phenotypic Alterations, Evolutionarily Significant Structures, and Rhino Conservation, 833-840
- Bissell, S.J.
American Fish and Wildlife Policy: The Human Dimension (book review), 323-324
Public Policy Issues in Wildlife Management (book review), 323-324
Readings in Environmental Ethics (book review), 917-918
- Black, J.M. See Rave, E.H.
- Black, M., Recounting a Century of Failed Fishery Policy Toward California's Sacramento River Salmon and Steelhead, 892-894
- Blaustein, A.R., Wake, D.B., Sousa, W.P., Amphibian Declines: Judging Stability, Persistence, and Susceptibility of Populations to Local and Global Extinction, 60-71
- Botsford, L.W., Extinction Probabilities and Delisting Criteria for Pacific Salmonids, 873-875
- Bowen, B.W., Conant, T.A., Hopkins-Murphy, S.R., Where Are They Now? The Kemp's Ridley Headstart Project, 853-856
- Bratton, S.P.
Logging and Fragmentation of Broadleaved Deciduous Forests: Are We Asking the Right Ecological Questions?, 295-297
- Bratton, S.P., Hapeman, J.R., Mast, A.R., The Lower Susquehanna River Gorge and Floodplain (U.S.A.) as a Riparian Refugium for Vernal, Forest-Floor Herbs, 1069-1077
- Brennan, A., A Genetic Need to Love Nature? (book review), 916-917
- Britten, H.B., Brussard, P.F., Murphy, D.D.
Letter to the Editor, 929-930
The Pending Extinction of the Uncompahgre Fritillary Butterfly, 86-94
Uncompahgre Fritillary Population Trends: Reply to Seidl and Opler, 1158-1160
- Brönmark, C., Edenhamn, P., Does the Presence of Fish Affect the Distribution of Tree Frogs (*Hyla arborea*)?, 841-845
- Brown, A.H.D. See Prober, S.M.
- Brown, M.J. See Kirkpatrick, J.B.
- Bruce, R.C. See Ash, A.N.
- Brussard, P.F. See Britten, H.B.
- Brussard, P.F., Murphy, D.D., Tracy, C.R., Cattle and Conservation Biology—Another View (editorial), 919-921
- Burkett, D.W., Thompson, B.C., Wildlife Association with Human-Altered Water Sources in Semiarid Vegetation Communities, 682-690
- Cade, T.J., The Black Robin: Saving the World's Most Endangered Bird (book review), 321-323
- Carey, C., Letter to the Editor, 7-8
- Caro, T.M., Pelkey, N., Grigione, M., Effects of Conservation Biology Education on Attitudes Toward Nature, 846-852
- Carpenter, F.L. See Russell, R.W.
- Ceballos, G. See Miller, B.
- Chase, M.R. See Hall, P.
- Chellam, R. See Saberwal, V.K.
- Cheverud, J., Routman, E., Jaquish, C., Cardif, S., Peterson, G., Belfiore, N., Forman, L., Quantitative and Molecular Genetic Variation in Captive Cotton-Top Tamarins (*Saguinus oedipus*) 95-105
- Chew, P.T. See Turner, I.M.
- Clark, C.W. See Rosenzweig, M.L.
- Conant, T.A. See Bowen, B.W.
- Contreras-Balderas, S., Lozano-Vilano M.L., Water, Endangered Fishes, and Development Perspectives in Arid Lands of Mexico, 379-387
- Corlett, R.T. See Turner, I.M.
- Cosner, M.B. See Crawford, D.J.
- Coulter, G.W., Mubamba, R., Letter to the Editor, 331-333
- Crawford, D.J., Stuessy, T.F., Cosner, M.B., Haines, D.W., Wiens, D., Peñaño, P., *Lactoris fernandeziana* (Lactoridaceae) on the Juan Fernandez Island: Allozyme Uniformity and Field Observations
- Crow, T.R. See Mladenoff, D.J.
- Crum, M.L. See Pounds, J.A.
- Cunningham, C. See Berger, J.
- Dale, V.H., O'Neill, R.V., Southworth, F., Pedlowski, M., Modeling Effects of Land Management in the Brazilian Amazonian Settlement of Rondônia, 196-206
- Dale, V.H., Pearson, S.M., Offerman, H.L., O'Neill, R.V., Relating Patterns of Land Use Change to Faunal Biodiversity in the Central Amazon, 1027-1036
- Decker-Walters, D.S. See Walters, T.W.
- Dein, F.J. See Wilson, M.H.
- Den Nijs, H.C.M. See Raijmann, L.E.L.
- Derrickson, S.R. See Wilson, M.H.
- DeSalle, R. See Vogler, A.P.
- De Santo, T.L. See Willson, M.F.
- Diaz, S. See Arriaga, L.
- Dietz, J.M. See also Touval, J.L.
Conservation Ecology: Biosphere and Biosurvival (book review), 1170-1171
- Dinerstein, E., Krever, V., Olson, D.M., Williams, L., An Emergency Strategy to Rescue Russia's Biological Diversity, 934-939
- Dobkin, D.S. See Rich, A.C.
- Downing, J.A. See Silva, M.
- Drayton, B., A Personal Journey into the Amazon (book review), 913
- Drew, G.S., The Scientific Method Revisited, 596-597
- Duffield, J.W., Pricing the European Environment (book review), 605-607
- Duval, F. See Rave, E.H.
- Edenhamn, P. See Brönmark, C.
- Ehnström, B. See Berg, A.
- Ehrenfeld, D., G.K., Meffe
Letter to the Editor, 617

- Ehrlich, A.H. See Meffe, G.K.
 Living within Limits: Ecology, Economics and Population Taboos (book review), 318
- Ehrlich, P.R. See Sparrow, H.R.
- Elam, D.R. See Nunny, L.
- Ellis, L.M. See Farley, G.H.
- Engels, T.M., Sexton, C.W., Negative Correlation of Blue Jays and Golden-checked Warblers near an Urbanizing Area, 286-290
- Fahrig, L., Merriam, G., Conservation of Fragmented Populations, 50-59
- Farley, G.H., Ellis, L.M., Stuart, J.N., Scott, N.J. Jr., Avian Species Richness in Different-Aged Stands of Riparian Forest Along the Middle Rio Grande, New Mexico, 1098-1108
- Fernandez-Duque, E., Valsecchi, C., Meta-Analysis: A Valuable Tool in Conservation Research, 553-561
- Fimbel, C., Ecological Correlates of Species Success in Modified Habitats May Be Disturbance- and Site-Specific: The Primates of Tiwai Island, 106-113
- Fisher, F.W., Past and Present Status of Central Valley Chinook Salmon, 870-873
- Fitzgerald, L.A., *Tupinambis* Lizards and People: A Sustainable Use Approach to Conservation and Development, 12-15
- Flamand, J.R.B. See O'Ryan, C.
- Fleischer, R.C. See Rave, E.H.
- Fleischer, T.L., Ecological Costs of Livestock Grazing in Western North America, 629-644
- Fleming, I.A., Captive Breeding and the Conservation of Wild Salmon Populations, 886-888
- Foley, P., Predicting Extinction Times from Environmental Stochasticity and Carrying Capacity, 124-137
- Forman, L. See Cheverud, J.
- Forsyth, A., Ted Parker: In Memoriam, 293-294
- Fraver, S., Vegetation Responses along Edge-to-Interior Gradients in the Mixed Hardwood Forests of the Roanoke River Basin, North Carolina, 822-832
- Gálvez-Durand, C.B. See Phillips, O.
- Gamassa, D.M. See Newmark, W.D.
- Gates, J.E., Letter to the Editor, 618-620
- Gentry, A.H. See Phillips, O.
- Geneser, R.W., Basic Environmental Toxicology (book review), 1171-1172
- Gerard, J. See Rajjmann, L.E.L.
- Gibbs, J.P. See Saberwal, V.K.
- Ginsberg, H.S., Lyme Disease and Conservation, 343-363
- Ginsberg, J.R., Milner-Gulland, E.J., Sex-Biased Harvesting and Population Dynamics in Ungulates: Implications for Conservation and Sustainable Use, 157-166
- Giraldo, M. See Kattan, G.H.
- Goodman, S.M., Lanyon, S.M., Diversity, 314-315
- Goodnight, C.J. See Pray, L.A.
- Goodson, N.J., Letter to the Editor, 617-618
- Gordon, D.R. See Walters, T.W.
- Graham, D.L. See Wilson, M.H.
- Greenberg, C.H., Neary, D.G., Harris, L.D., Effect of High-Intensity Wildfire and Silvicultural Treatments on Reptile Communities in Sand-Pine Scrub, 1047-1057
- Grigione, M. See Caro, T.M.
- Grumbine, R.E., What is Ecosystem Management?, 27-38
- Gustafsson, L. See Berg, A.
- Haines, D.W. See Crawford, D.J.
- Hall, J. See Wright, R.G.
- Hall, P., Chase, M.R., Bawa, K.S., Low Genetic Variation but High Population Differentiation in a Common Tropical Forest Tree Species, 471-482
- Hallingbäck, T. See Berg, A.
- Hamilton, M.B., Ex Situ Conservation of Wild Plant Species: Time to Reassess the Genetic Assumptions and Implications of Seed Banks, 39-49
- Hapeman, J.R. See Bratton, S.P.
- Harley, E.H. See O'Ryan, C.
- Harris, L.D. See Greenberg, C.H.
- Harris, L.D., Hector, T., Ecology of Greenways: Design and Function of Linear Conservation Areas (book review), 603-605
- Harte, J. See Murphy, D.
- Hartl, G.B., Pucek, Z., Genetic Depletion in European Bison (*Bison Bonasus*) and the Significance of Electrophoretic Heterozygosity for Conservation, 167-174
- Hartman, G., Long-Term Population Development of a Reintroduced Beaver (*Castor fiber*) Population in Sweden, 713-717
- Hay, J.R. See Robertson, H.A.
- Hayward, G.D. See Ruggiero, L.F.
- Hazam, B.W., Kunz, T.H., Addressing the Chiropteran Crisis (book review), 914
- Healey, M.C., Variation in the Life History Characteristics of Chinook Salmon and Its Relevance to Conservation of the Sacramento Winter Run of Chinook Salmon, 876-877
- Hector, T. See Harris, L.D.
- Hedgecock, D. See also Hedrick, P.W.
- Siri, P., Strong, D.R., Conservation Biology of Endangered Pacific Salmonids: Introductory Remarks, 863-864
- Hedrick, P.W., Hedgecock, D., Effective Population Size in Winter-run Chinook Salmon, 890-892
- Hess, G., Conservation Corridors and Contagious Disease: A Cautionary Note, 256-262
- Hindar, K., Balstad, T., Salmonid Culture and Interspecific Hybridization, 881-882
- Hixon, M.A. See Russell, R.W.
- Hopkins-Murphy, See Bowen, B.W.
- Horwich, R.H. See Polis, J.
- Howe, H.F., Managing Species Diversity in Tallgrass Prairie: Assumptions and Implications, 691-704
- Hunter, J.R., Is Costa Rica Truly Conservation Minded?, 592-595
- Hunter, M.L. Jr. See also Vickery, P.D.
- Hunter, M.L. Jr., Hutchinson, A., Diversity, 1163-1165
- Hurlbert, K.J., A Tribute to Alwyn H. Gentry, 291-292
- Hutchinson, A. See Hunter, Jr., M.L.
- Ibrahim, A.B. See Turner, I.M.
- James, P.C., On Economic Growth and Ecological Decay, 1161-1162
- Jaquish, C. See Cheverud, J.
- Jardel, E.P. See Santana, E.C.
- Johns, D.M., Wisdom in the Open Air: The Norwegian Roots of Deep Ecology (book review), 320-321
- Johnsingh, A.J.T. See Saberwal, V.K.
- Johnson, N.C., Perspectives on Biodiversity: Case Studies of Genetic Resource Conservation and Development (book review), 1168-1169
- Jonsell, M. See Berg, A.
- Joze, K.L., Letter to the Editor, 924-925
- Kangas, J. See Kuusipalo, J.
- Kattan, G.H., Alvarez-López, H., Giraldo, M., Forest Fragmentation and Bird Extinctions: San Antonio Eighty Years Later, 138-146
- Kaufman, L. See Murphy, D.
- Kelly, P.A. See Price, M.V.
- Kepler, C.B. See Wilson, M.H.
- Kersten, R. See Rajjmann, L.E.L.
- Kirkpatrick, J.B., Brown, M.J., A Comparison of Direct and Environmental Domain Approaches to Planning Reservation of Forest Higher Plant Communities and Species in Tasmania, 217-224
- Knopf, F.L., Samson, F.B.
 Diversity, 909-911
 Scale Perspectives on Avian Diversity in Western Riparian Ecosystems, 669-676
- Koopowitz, H., Thornhill, A.D., Andersen, M., A General Stochastic Model for the Prediction of Biodiversity Losses Based on Habitat Conversion, 425-438
- Kremen, C., Merenlender, A.M., Murphy, D.D., Ecological Monitoring: A Vital Need for Integrated Conservation and Development Programs in the Tropics, 388-397
- Kress, W.J., Maddox, G.D., Roesel, C.S., Genetic Variation and Protection Priorities in *Ptilimnium nodosum* (Apiaceae), an Endangered Plant of the Eastern United States, 271-276
- Kremer, V. See Dinerstein, E.
- Kunz, T.H. See Hazam, B.W.
- Kuusipalo, J., Kangas, J., Managing Biodiversity in a Forestry Environment, 450-460

- Lamberson, R.H., Noon, B.R., Voss, C., McKelvey, K.S., Reserve Design for Territorial Species: The Effects of Patch Size and Spacing on the Viability of the Northern Spotted Owl, 185-195
- Lambert, D.M. See Adern, S.L.
- Lanyon, S.M. See Goodman, S.M.
- Lavorel, S. See McIntyre, S.
- Leberg, P.L., Vrijenhoek, R.C., Variation among Desert Topminnows in Their Susceptibility to Attack by Exotic Parasites, 419-424
- Loeschcke, V. See Tomiuk, J.
- Logan, V.S. See Pressey, R.L.
- Loutit, B., Montgomery, S., Letter to the Editor, 923-924
- Lozano-Vilano, M.L. See Contreras-Balderas, S.
- Lubchenco, J. See Murphy, D.
- Lugo, A. See Wilson, M.H.
- Lugo, A.E., Preservation of Primary Forests in the Luquillo Mountains, Puerto Rico, 1122-1131
- Lyman, R.L., The Olympic Mountain Goat Controversy: A Different Perspective, 898-901
- McCormack, G.V. See Robertson, H.A.
- MacCracken, J.G. See Wright, R.G.
- McIntyre, S., Lavorel, S., Predicting Richness of Native, Rare, and Exotic Plants in Response to Habitat and Disturbance Variables across a Variegated Landscape, 521-531
- McLean, I.G. See Adern, S.L.
- Maddox, G.D. See Kress, W.J.
- McKelvey, K.S. See Lamberson, R.H.
- Maloney, R. See Adern, S.L.
- Mangel, M., Life History Variation and Salmonid Conservation, 879-880
- Manyanza, D.N. See Newmark, W.D.
- Margules, C.R., Nicholls, A.O., Usher, M.B., Apparent Species Turnover, Probability of Extinction and the Selection of Nature Reserves: A Case Study of the Ingleborough Limestone Pavements, 398-409
- Mast, A.R. See Bratton, S.P.
- Matlack, G., Plant Demography, Land-Use History, and the Commercial Use of Forests, 298-299
- Meagher, M., Meyer, M.E., On the Origin of Brucellosis in Bison of Yellowstone National Park: A Review, 645-653
- Medellin, R.A., Mammal Diversity and Conservation in the Selva Lacandona, Chiapas, Mexico, 780-799
- Meffe, G.K., Ehrlich, A.H., Ehrenfeld, D., Response to Sieving et al., 308-309
- Meffe, G.K., Human Population Control: The Missing Awareness, 310-313
- Mehlman, D.W., Rarity in North American Passerine Birds, 1141-1145
- Melvin, S.M. See Vickery, P.D.
- Menken, S.B.J. See Rajjmann, L.E.L.
- Mercado, C. See Arriaga, L.
- Meremlender, A.M. See Kremen, C.
- Merola, M., A Reassessment of Homozygosity and the Case for Inbreeding Depression in the Cheetah, *Acinonyx jubatus*: Implications for Conservation, 961-971
- Merriam, G. See Fahrig, L.
- Meyer, M.E. See Meagher, M.
- Miller, B., Ceballos, G., Reading, R., The Prairie Dog and Biotic Diversity, 677-681
- Miller, M.A., Letter to the Editor, 620
- Milner-Gulland, E.J. See Ginsberg, J.R.
- Mladenoff, D.J., White, M.A., Crow, T.R., Pastor, J., Applying Principles of Landscape Design and Management to Integrate Old-Growth Forest Enhancement and Commodity Use, 752-762
- Montgomery, S. See Loutit, B.
- Morimoto, D.C., Letter to the Editor, 334
- Moyle, P.B., The Decline of Anadromous Fishes in California, 869-870
- Mubamba, R. See Coulter, G.W.
- Murawski, D.A., Nimal Gunatilleke, I.A.U., Bawa, K.S., The Effects of Selective Logging on Inbreeding in *Shorea megistophylla* (Dipterocarpaceae) from Sri Lanka, 997-1002
- Murphy, D., Wilcove, D., Noss, R., Harte, J., Safina, C., Lubchenco, J., Root, T., Sher, V., Kaufman, L., Bean, M., Pimm, S., On Reauthorization of the Endangered Species Act (editorial), 1-3
- Murphy, D.D. See Britten, H.B.; Brussard, P.F.; Kremen, C.; Sparrow, H.R.
- Nabhan, G.P. See also Suzán, H.
Letter to the Editor, 928-929
- Neary, D.G. See Greenberg, C.H.
- Nehlsen, W., Salmon Stocks at Risk: Beyond 214, 867-869
- Newmark, W.D., Manyanza, D.N., Gamassa, D.M., Sariko, H., The Conflict between Wildlife and Local People Living Adjacent to Protected Areas in Tanzania: Human Density as a Predictor, 249-255
- Nicholls, A.O. See Margules, C.R.
- Nielsen, J.L., Tupper, D., Thomas, W.K., Mitochondrial DNA Polymorphism in Unique Runs of Chinook Salmon (*Oncorhynchus tshawytscha*) from the Sacramento-San Joaquin River Basin, 882-884
- Niles, L.J. See Rich, A.C.
- Nimal Gunatilleke, I.A.U. See Murawski, D.A.
- Noon, B.R. See Lamberson, R.H.
- Noss, R. See Murphy, D.
- Noss, R.F., Cows and Conservation Biology (editorial), 613-616
- Nunney, L., Elam, D.R., Estimating the Effective Population Size of Conserved Populations, 175-184
- Oakleaf, R. See Russell, W.C.
- O'Brien, S.J., The Cheetah's Conservation Controversy, 1153-1155
- Offerman, H.L. See Dale, V.H.
- Oleksyn, J., Reich, P.B., Pollution, Habitat Destruction, and Biodiversity in Poland, 943-960
- Olson, D.M. See Dinerstein, E.
- O'Neill, R.V. See Dale, V.H.
- O'Neill, R.V. See Dale, V.H.
- Oostermeijer, B. See Rajjmann, L.E.L.
- Opler, P.A. See Seidl, A.L.
- Orr, D.W.
The Effective Shape of Our Future, 622-624
Professionalism and the Human Prospect, 9-11
Technological Fundamentalism, 335-337
Twine in the Baler, 931-933
- O'Ryan, C., Flamand, J.R.B., Harley, E.H., Mitochondrial DNA Variation in Black Rhinoceros (*Diceros bicornis*): Conservation Management Implications, 495-500
- Palazzo, J.T. Jr., Letter to the Editor, 925-926
- Paron, D.C. See Russell, R.W.
- Pastor, J. See Mladenoff, D.J.
- Paton, P.W.C.
The Effect of Edge on Avian Nest Success: How Strong Is the Evidence?, 17-26
Letter to the Editor, 620
- Patten, D.T. See Suzán, H.
- Pearson, S.M. See Dale, V.H.
- Pedlowski, M. See Dale, V.H.
- Pelkey, N. See Caro, T.M.
- Pendleton, L.H., Van Breda, A., Letter to the Editor, 330-331
- Peñaillo, P. See Crawford, D.J.
- Peres, C.A., Indigenous Reserves and Nature Conservation in Amazonian Forests, 586-588
- Peterson, G. See Cheverud, J.
- Petranks, J.W., Response to Impact of Timber Harvesting on Salamanders, 302-304
- Phillips, O.
Biodiversity Prospecting: Using Genetic Resources for Sustainable Development (book review), 319-320
- Gentry, A.H., Reynel, C., Wilkin, P., Gálvez-Durand, C.B., Quantitative Ethnobotany and Amazonian Conservation, 225-248
- Pimm, S. See Murphy, D.
- Pister, E.P.
Coyotes and Town Dogs: Earth First! and the Environmental Movement (book review), 611
- Radical Environmentalism: Philosophy and Tactics (book review), 611-612
- Polisar, J., Horwich, R.H., Conservation of the Large, Economically Important River Turtle *Dermatemys mawii* in Belize, 338-340
- Pounds, J.A., Crump, M.L., Amphibian Declines and Climate Disturbance: The Case of the Golden Toad and the Harlequin Frog, 72-85
- Povillitis, T., Diversity, 598-599
- Pray, L.A., Schwartz, J.M., Goodnight, C.J., Stevens, L., Environmental Dependency of Inbreeding Depression: Implications for Conservation Biology, 562-568
- Pressey, R.L.
Ad Hoc Reservations: Forward of Backward Steps in Developing Representative Reserve Systems?, 662-668

- Logan, V.S., Level of Geographical Subdivision and Its Effects on Assessments of Reserve Coverage: A Review of Regional Studies, 1037-1046
- Price, M.V., Kelly, P.A., An Age-Structured Demographic Model for the Endangered Stephen's Kangaroo Rat, 810-821
- Prober, S.M., Brown, A.H.D., Conservation of the Grassy White Box Woodlands: Population Genetics and Fragmentation of *Eucalyptus albens*, 1003-1013
- Pucek, Z. See Hartl, G.B.
- Rajimann, L.E.L., Van Leeuwen, N.C., Kersten, R., Gerard, J., Oostermeijer, B., Den Nijs, H.C.M., Menken, S.B.J., Genetic Variation and Outcrossing Rate in Relation to Population Size in *Gentiana Pneumonanthe* L., 1014-1026
- Rajasärkkä, A. See Virkkala, R.
- Ranker, T.A., Arft, A.M., Allopolyploid Species and the U.S. Endangered Species Act, 895-897
- Rave, E.H., Fleischer, R.C., Duvall, F., Black, J.M., Genetic Analyses Through DNA Fingerprinting of Captive Populations of Hawaiian Geese, 744-751
- Reading, R. See Miller, B.
- Reich, P.B. See Oleksyn, J.
- Reid, W.V., In Our Own Hands: A Strategy for Conserving California's Biological Diversity (book review), 607-608
- Reynel, C. See Phillips, O.
- Rich, A.C., Dobkin, D.S., Niles, L.J., Defining Forest Fragmentation by Corridor Width: The Influence of Narrow Forest-Dividing Corridors on Forest-Nesting Birds in Southern New Jersey, 1109-1121
- Robertson, H.A., Hay, J.R., Saul, E.K., McCormack, G.V., Recovery of the Kakerori: An Endangered Forest Bird of the Cook Islands, 1078-1086
- Roesel, C.S. See Kress, W.J.
- Romero, L. See Balick, M.J.
- Root, T. See Murphy, D.
- Rosenzweig, M.L., Clark, C.W., Island Extinction Rates from Regular Censuses, 491-494
- Routman, E. See Cheverud, J.
- Rubio-Torgler, H. See Andrade, G.I.
- Ruggiero, L.F., Hayward, G.D., Squires, J.R., Viability Analysis in Biological Evaluations: Concepts of Population Viability Analysis, Biological Population, and Ecological Scale, 364-372
- Russell, R.W., Carpenter, F.L., Hixon, M.A., Paton, D.C., The Impact of Variation in Stopover Habitat Quality on Migrant Rufous Hummingbirds, 483-490
- Russell, W.C., Thorne, E.T., Oakleaf, R., Ballou, J.D., The Genetic Basis of Black-Footed Ferret Reintroduction, 263-266
- Ryman, N., Supportive Breeding and Effective Population Size: Differences Between Inbreeding and Variance Effective Numbers, 888-890
- Sabag, C. See Willson, M.F.
- Saberwal, V.K., Gibbs, J.P., Chellam, R., Johnsingh, A.J.T., Lion-Human Conflict in the Gir Forest, India, 501-507
- Safina, C. See Murphy, D.
- Samson, F.B. See Knopf, F.L.
- Santana, E.C., Jarde, E.P., Letter to the Editor, 6
- Sariko, H. See Newmark, W.D.
- Saul, E.K. See Robertson, H.A.
- Schneider, R.R., Yodzis, P., Extinction Dynamics in the American Marten (*Martes americana*), 1058-1068
- Schwartz, J.M. See Pray, L.A.
- Scott, N.J. Jr. See Farley, G.H.
- Seidl, A.L., Opler, P.A., Uncompahgre Fritillary Butterfly Demographics: Response to Britten et al., 1156-1157
- Sexton, C.W. See Engels, T.M.
- Sher, V. See Murphy, D.
- Short, J., Turner, B., A Test of the Vegetation Mosaic Hypothesis: A Hypothesis to Explain the Decline and Extinction of Australian Mammals, 439-449
- Sibbing, J.M., Letter to the Editor, 333
- Sieving, K., The Population Crisis Demands a Focused Awareness, 305-307
- Silander, J.A. Jr., ArcView for Windows Version 1.0 (book review), 1167-1168
- Silva, M., Downing, J.A., Allometric Scaling of Minimal Mammal Densities, 732-743
- Simberloff, D., Biodiversity Analysis for Papua New Guinea (book review), 1166-1167
- Papua New Guinea Conservation Needs Assessment (book review), 1166-1167
- Siri, P. See Hedgecock, D.
- Sisk, T.D. See Sparrow, H.R.
- Sjögren, P., Wyöni, P., Conservation Genetics and Detection of Rare Alleles in Finite Populations, 267-270
- Slade, N.A. See Stokes, M.K.
- Snell, H.L. See Stone, P.A.
- Snell, H.M. See Stone, P.A.
- Snyder, N.R.F. See Wilson, M.H.
- Sousa, W.P. See Blaustein, A.R.
- Southworth, F. See Dale, V.H.
- Sparrow, H.R., Sisk, T.D., Ehrlich, P.R., Murphy, D.D., Techniques and Guidelines for Monitoring Neotropical Butterflies, 800-809
- Squires, J.R. See Ruggiero, L.F.
- Standley, L.A., Books on: Important New Flora (book review), 912-913
- Starkey, E.E. See Aguirre, A.A.
- Stevens, L. See Pray, L.A.
- Stokes, M.K., Slade, N.A., Drought-Induced Cracks in the Soil as Refuges for Small Mammals: An Unforeseen Consequence of Climatic Change, 577-580
- Stone, P.A., Snell, H.L., Snell, H.M., Behavioral Diversity as Biological Diversity: Introduced Cats and Lava Lizard Wariness, 569-573
- Storror, T., Land Conservation through Public/Private Partnerships (book review), 324-325
- Strong, A.M., Bancroft, G.T., Postfledging Dispersal of White-crowned Pigeons: Implications for Conservation of Deciduous Seasonal Forests in the Florida Keys, 770-779
- Strong, D.R. See Hedgecock, D.
- Strong, P.I.V., Letter to the Editor, 927
- Stuart, J.N. See Farley, G.H.
- Stuessy, T.F. See Crawford, D.J.
- Suzán, H., Nabhan, G.P., Patten, D.T., Nurse Plant and Floral Biology of a Rare Night-Blooming Cereus, *Peniocereus striatus* (Brandegee) F. Buxbaum, 461-470
- Tan, H.T.W. See Turner, I.M.
- Tardif, S. See Cheverud, J.
- Templeton, A.R., The Natural History of Inbreeding and Outbreeding (book review), 608-610
- Thomas, C.D., Extinction, Colonization, and Metapopulations: Environmental Tracking by Rare Species, 373-378
- Thomas, W.K. See Nielsen, J.L.
- Thompson, B.C. See Burkett, D.W.
- Thorne, E.T. See Russell, W.C.
- Evaluating the U.S. Endangered Species Act (book review), 914-916
- Thornhill, A.D. See Koopowitz, H.
- Thorpe, J.E., Performance Thresholds and Life-History Flexibility in Salmonids, 877-879
- Tomiuk, J., Loeschke, V., On the Application of Birth-Death Models in Conservation Biology, 574-576
- Toone, W.D. See Wilson, M.H.
- Touval, J.L., Dietz, J.M., The Problem of Teaching Conservation Problem Solving, 902-904
- Tracy, C.R. See Brussard, P.F.
- Trombulak, S.C., Undergraduate Education and the Next Generation of Conservation Biologists, 589-591
- Tupper, D. See Nielsen, J.L.
- Turner, B. See Short, J.
- Turner, I.M., Tan, H.T.W., Wee, Y.C., Ibrahim, A.B., Chew, P.T., Corlett, R.T., A Study of Plant Species Extinction in Singapore: Lessons for the Conservation of Tropical Biodiversity, 705-712
- Usher, M.B. See Margules, C.R.
- Utter, F.M., Allendorf, F.W., Phylogenetic Relationships Among Species of *Onychomys*: A Consensus View, 864-867
- Väisänen, R.A. See Virkkala, R.
- Valeggia, C. See Fernandez-Duque, E.
- Van Breda, A. See Pendleton, L.H.
- Van Leeuwen, N.C. See Rajimann, L.E.L.
- Vickery, P.D., Hunter, M.L. Jr., Melvin, S.M., Effect of Habitat Area on the Distribution of Grassland Birds in Maine, 1087-1097
- Vickholm, M. See Virkkala, R.
- Vidal, O., Letter to the Editor, 926

- Virkkala, R., Rajasärkkä, A., Väisänen, R.A., Vickholm, M., Virolainen, E., The Significance of Protected Areas for the Land Birds of Southern Finland, 532-544
- Virolainen, E. See Virkkala, R.
- Vogler, A.P., DeSalle, R., Diagnosing Units of Conservation Management, 354-363
- Voss, C. See Lamberson, R.H.
- Vrijenhoek, R.C. See Leberg, P.L.
- Wake, D.B. See Blaustein, A.R.
- Walters, T.W., Decker-Walters, D.S., Gordon, D.R., Restoration Considerations for Wiregrass (*Aristida stricta*): Allozymic Diversity of Populations, 581-585
- Waples, R.S., Genetic Considerations in Recovery Efforts for Pacific Salmon, 884-886
- Warner, R.E., Agricultural Land Use and Grassland Habitat in Illinois: Future Shock for Midwestern Birds?, 147-156
- Warren, P., Letter to the Editor, 928
- Warshall, P., The Biopolitics of the Mt. Graham Red Squirrel (*Tamiasciurus budsonicus grahamensis*), 977-988
- Wee, Y.C. See Turner, I.M.
- Weins, D. See Crawford, D.J.
- Weslien, J. See Berg, A.
- White, M.A. See Mladenoff, D.J.
- Wilcove, D. See Murphy, D.
- Wiley, J.W. See Wilson, M.H.
- Wilkin, P. See Phillips, O.
- Willers, B., Sustainable Development: A New World Deception, 1146-1148
- Williams, L. See Dinerstein, E.
- Willson, M.F., De Santo, T.L., Sabag, C., Armesto, J.J., Avian Communities of Fragmented South-Temperate Rainforests in Chile, 508-520
- Wilson, M.H., Kepler, C.B., Snyder, N.F.R., Derrickson, S.R., Dein, F.J., Wiley, J.W., Wunderle, J.M. Jr., Lugo, A.E., Graham, D.L., Toone, W.D., Puerto Rican Parrots and Potential, 114-123
- Wright, R.G., MacCracken, J.G., Hall, J., An Ecological Evaluation of Proposed New Conservation Areas in Idaho: Evaluating Proposed Idaho National Parks, 207-216
- Wuerthner, G., Diversity, 905-908
- Wunderle, J.M. Jr. See Wilson, M.H.
- Wyöni, P. See Sjögren, P.
- Yodzis, P. See Schneider, R.R.
- Yosef, R., The Effects of Fencelines on the Reproductive Success of Loggerhead Shrikes, 281-285
- Young, K.R., Roads and the Environmental Degradation of Tropical Montane Forests, 972-976
- Young, T.P., Natural Die-Offs of Large Mammals: Implications for Conservation, 410-418
- Yu, D., Free Trade Is Green, Protectionism Is Not, 989-996